





CAPE manufactures LT Distribution Panel using Glass Fiber Reinforced (GRP) Enclosures for Industrial and Outdoor application. **CAPE** outdoor panel used by various industries all over India. These Panels are available up to IP66 with wall mounting / floor mounting facility. In addition customized high quality enclosures and components from reputed European manufacturers marketed by CAPE are used by various Industries and OEM's / Manufacturers

- Combiner Box and Array Junction Boxes (AJB) for Solar
- MCCB and MCB Distribution boards upto 800 Amps Incoming
- Industrial CEE type Socket outlet DB's for Outdoor Application / Construction Sites
- Local Control Stations (LCS)
- Feeder Pillar / Street Light control panels

We are the Sole Business partner of the following European manufacturers Providing high quality solution to customers in Indian Market

- M/s Gunther Spelsberg GmbH + Co.KG, Germany
- M/s PC Electric GesmbH, Austria
- M/s Uriarte Safybox, Spain



JUNCTION BOX - IP65 - THERMOPLASTIC						
Model	Description	Dimension in mm	With Terminals		Without Terminals	
			Part no	Price	Part no	Price
ABOX 025	2.5 Sqmm	80 x 80 x 52	802 407 01	620	802 907 01	420
ABOX 040	4 Sqmm	93 x 93 x 55	804 407 01	700	804 907 01	495
ABOX 060	6 Sqmm	110 x 110 x 67	806 407 01	1,670	806 907 01	1,035
ABOX 100	10 Sqmm	140 x 140 x 79	CJB007PS	1,805	810 910 01	1,155
TK PS 1818 - 11M	16 Sqmm	182 x 180 x 111	CJB008PS	2,530	105 907 01	1,870
TK PS 2518 - 11M	25/35 Sqmm	254 x 180 x 111	CJB009PS	3,860	105 908 01	3,020



JUNCTION BOX - IP65 - THERMOPLASTIC						
Model	Description	Dimension in mm	With Terminals		Without Terminals	
			Part no	Price	Part no	Price
ABOX I 025	2.5 Sqmm	80 x 80 x 52	490 402 01	905	490 902 01	705
ABOX I 040	4 Sqmm	93 x 93 x 55	490 404 01	995	490 904 01	795
ABOX I 060	6 Sqmm	110 x 110 x 67	490 406 01	1,890	490 906 01	1,260
ABOX I 100	10 Sqmm	140 x 140 x 79	CJB007PC	2,305	490 910 01	1,695
TK PC 1818 - 11 - O	16 Sqmm	182 x 180 x 111	CJB008PC	3,420	127 907 40	2,830
TK PC 2518 - 11 - O	25/35 Sqmm	254 x 180 x 111	CJB009PC	4,010	127 908 40	3,180




JUNCTION BOX - IP55 - THERMOPLASTIC - WEATHERPROOF				
Model	Description	Dimension in mm	Part no	Price
I 12 L	2.5 Sqmm	85 X 85 X 37	332 912 01	135
I 16 L	2.5 Sqmm	130 X 85 X 37	333 916 01	290
HP 070	2.5 Sqmm	75 X 75 X 42	320 970 01	290
HP 080	2.5 Sqmm	85 X 85 X 42	322 980 01	370
HP 090	4 Sqmm	90 x 90 x 45	325 990 01	440



MCB DB - IP65 - THERMOPLASTIC WITH PE & N TERMINALS						
Description	Dimension in mm	Model PS	Price	Model PC	Price	
3 MODULE	100 x 150 x 96	Ak 03	2,390	Aki 03	2,915	
5 MODULE	125 x 200 x 122	Ak 05	3,105	Aki 05	3,850	
9 MODULE	200 x 200 x 122	Ak 09	3,690	Aki 09	4,532	
12 MODULE	250 x 200 x 122	Ak 12	4,162	Aki 12	6,345	
24 MODULE	250 x 370 x 122	Ak 24	7,995	Aki 24	10,300	
14 MODULE	300 x 300 x 142	Ak 14	UR	Aki 14	UR	
28 MODULE	300 x 450 x 142	Ak 28	UR	Aki 28	UR	
42 MODULE	300 x 600 x 142	Ak 42	UR	Aki 42	UR	
56 MODULE	300 x 750 x 142	Ak 56	UR	Aki 56	UR	
70 MODULE	300 x 900 x 142	Ak 70	UR	Aki 70	UR	





MCB DB - IP65 - THERMOPLATIC WITHOUT PE & N TERMINALS

Discription	Dimension in mm	Model	Price
3 MODULE	100 x 170 x 105	3902-T	2,100
4 MODULE	141 x 217 x 105	3904-T	3,025
8 MODULE	235 x 217 x 105	3908-T	3,390
12 MODULE	307 x 217 x 105	3912-T	4,235

TK SERIES EMPTY ENCLOSURE

Discription	Dimension in mm	IP66 PS		IP66 PC Weatherproof	
		Opaque LID	Transparent LID	Opaque LID	Transparent LID
TK 77 - 8	65 x 65 x 81	890	UR	UR	UR
TK 99 - 8	94 x 94 x 81	1,005	UR	UR	UR
TK 1309 - 8	130 x 94 x 81	1,120	UR	1,720	UR
TK 1313 - 10	130 x 130 x 99	1,445	UR	2,220	UR
TK 1811 - 11	180 x 110 x 111	1,445	UR	2,470	UR
TK 1818 - 11	182 x 180 x 111	1,870	2,620	2,830	2,845
TK 2518 - 11	254 x 180 x 111	3,020	2,720	3,180	3,395
TK 3625 - 11	351 x 254 x 111	4,326	6,140	5,150	UR
TK 3625 - 16	361 x 254 x 165	UR	UR	UR	UR

AKL SERIES EMPTY ENCLOSURE

Discription	Dimension in mm	IP65 PS		IP65 PC Weatherproof	
		Opaque LID	Transparent LID	Opaque LID	Transparent LID
AK 1	300 x 150 x 132	UR	UR	6,320	UR
AK 2	300 x 300 x 132	UR	UR	8,145	8,235
AK 3	300 x 450 x 132	UR	UR	9,990	10,015
AK 4	300 x 600 x 132	UR	UR	12,885	12,465
AK 2 HIGH LID	300 x 300 x 210	UR	UR	9,845	10,485
AK 3 HIGH LID	300 x 450 x 210	UR	UR	12,510	12,330
AK 4 HIGH LID	300 x 600 x 210	UR	UR	15,555	15,555

IP65 - THERMOPLATIC EMPTY ENCLOSURE

Discription	Dimension in mm	Opaque LID	Price
3955	175 x 330 x 130	3955	UR
3956	330 x 330 x 130	3956	5,520
3954	330 x 506 x 130	3954	6,860

ACCESSORIES

Discription	Model	Price
IP65 AK Combi Set	791 00 101	780
IP66 M20 Combi Set	192 02 001	400
IP66 M25 Combi Set	192 02 501	570
IP66 M32 Combi Set	192 03 201	580
ASS - GRO - Ak Hinge Set	190 00 501	890

GRP PANEL ENCLOSURES - IP66 / IK10

Discription	Dimension in mm	Opaque LID		Transparent LID	
		Model	Price	Model	Price
CA 1515	135 x 135 x 130	CA1515s	2,875	CA1515	2,790
CA 215	180 x 135 x 130	CA 215 s	UR	CA 215	UR
CA 220	180 x 180 x 130	CA 220 s	4,565	CA 220	4,125
CA 315	270 x 135 x 130	CA 315 s	UR	CA 315	UR
CA 32	270 x 180 x 170	CA 32 s	UR	CA 32	UR
CA 33	270 x 270 x 170	CA 33 s	7,505	CA 33	7,070
CA 42	360 x 180 x 170	CA 42 s	UR	CA 42	UR
CA 43	360 x 270 x 170	CA 43 s	UR	CA 43	UR
CA 43a	360 x 270 x 205	CA 43 as	8,910	CA 43a	UR
CA 44	360 x 360 x 170	CA 44 s	UR	CA 44	UR
CA 44a	360 x 360 x 205	CA 44 as	9,310	CA 44a	8,925
CA 63	540 x 270 x 170	CA 63 s	UR	CA 63	UR
CA 63a	540 x 270 x 205	CA 63 as	14,715	CA 63a	12,515
CA 64	540 x 360 x 170	CA 64 s	UR	CA 64	UR
CA 64a	540 x 360 x 205	CA 64 as	17,425	CA 64a	15,915
CA 66	540 x 540 x 170	CA 66 s	UR	CA 66	UR
CA 66a	540 x 540 x 205	CA 66 as	23,365	CA 66a	23,120
CA 84a	720 x 360 x 205	CA 84 as	19,510	CA 84a	18,675
CA 86a	720 x 540 x 205	CA 86 as	29,140	CA 86a	25,945

GRP HINGED DOOR TYPE ENCLOSURES - IP66 / IK10

Discription	Dimension in mm	Opaque LID		Transparent LID	
		Model	Price	Model	Price
BRES 325	300 x 250 x 140	BRES 325	10,435	BRES 325 P	UR
BRES 43	400 X 300 X 200	BRES 43	13,205	BRES 43 P	UR
BRES 44	400 X 400 X 200	BRES 44	16,500	BRES 44 P	UR
BRES 54	500 X 400 X 200	BRES 54	15,945	BRES 54 P	UR
BRES 64	600 X 400 X 230	BRES 64	18,325	BRES 64 P	UR
BRES 65	600 X 500 X 230	BRES 65	20,735	BRES 65 P	UR
BRES 83	800 X 300 X 230	BRES 83	UR	BRES 83 P	UR
BRES 86	800 X 600 X 300	BRES 86	33,945	BRES 86 P	UR





GRP FEEDER PILLAR ENCLOSURES - IK10

Discription	Dimension in mm	Model	Price
500 High Feeder Pillar	500 x 500 x 300	ART 55	UR
750 High Feeder Pillar	750 x 500 x 300	ART 75	UR
1000 High Feeder Pillar	1000 x 500 x 300	ART 105	UR
500 High Feeder Pillar	500 x 750 x 300	ART 57	UR
750 High Feeder Pillar	750 x 750 x 300	ART 77	UR
1000 High Feeder Pillar	1000 x 750 x 300	ART 107	UR

ACCESSORIES

Discription	Model	Price
Connecting Flange open 3 for CA	BA - 30 - cj	1,630
Connecting Flange open 4 for CA	BA - 40 - cj	1,850
External Rigid Hinge 2	bo - BRE - EXT	1,150
Connecting Flange for BRES	UA 350 x 150	2,935
Connecting Flange for BRES	UA 350 x 150 - B	3,520
Wall Fastening Lug	OFM - 14	1,100





PLUG - CEE TYPE

Amps	No of Poles	Ref Hours	Rated Voltage	IP44	Price	IP67	Price
16A	2P + E	6h	200 - 250 V	013-6	440	0132-6	1,085
	3P + E	6h	380 - 415 V	014-6	620	0142-6	1,215
	3P + N + E	6h	380 - 415 V	015-6	650	0152-6	1,340
32A	2P + E	6h	200 - 250 V	023-6	798	0232-6	1,595
	3P + E	6h	380 - 415 V	024-6	888	0242-6	1,745
	3P + N + E	6h	380 - 415 V	025-6	930	0252-6	1,800
63A	2P + E	6h	200 - 250 V	0331-6	4,150	033-6	4,710
	3P + E	6h	380 - 415 V	0341-6	4,285	034-6	4,775
	3P + N + E	6h	380 - 415 V	0351-6	4,400	035-6	4,570
125A	2P + E	6h	200 - 250 V			043-6	14,080
	3P + E	6h	380 - 415 V			044-6	14,190
	3P + N + E	6h	380 - 415 V			045-6	12,575



CONNECTOR - TRAILING SOCKET - CEE TYPE

Amps	No of Poles	Ref Hours	Rated Voltage	IP44	Price	IP67	Price
16A	2P + E	6h	200 - 250 V	213-6	752	2132-6	1,745
	3P + E	6h	380 - 415 V	214-6	885	2142-6	UR
	3P + N + E	6h	380 - 415 V	215-6	910	2152-6	2,030
32A	2P + E	6h	200 - 250 V	223-6	1,025	2232-6	2,325
	3P + E	6h	380 - 415 V	224-6	1,245	2242-6	UR
	3P + N + E	6h	380 - 415 V	225-6	1,260	2252-6	2,473
63A	2P + E	6h	200 - 250 V	2331-6	5,225	233-6	6,245
	3P + E	6h	380 - 415 V	2341-6	UR	234-6	UR
	3P + N + E	6h	380 - 415 V	2351-6	6,015	235-6	7,015
125A	2P + E	6h	200 - 250 V			243-6	UR
	3P + E	6h	380 - 415 V			244-6	UR
	3P + N + E	6h	380 - 415 V			245-6	16,840



PANEL MOUNTED STRAIGHT SOCKET - CEE TYPE

Amps	No of Poles	Ref Hours	Rated Voltage	IP44	Price	IP67	Price
16A	2P + E	6h	200 - 250 V	313-6f7	660	3132-6	1,255
	3P + E	6h	380 - 415 V	314-6f7	930	3142-6	1,340
	3P + N + E	6h	380 - 415 V	315-6f7	945	3152-6	1,385
32A	2P + E	6h	200 - 250 V	323-6f7	998	3232-6	1,690
	3P + E	6h	380 - 415 V	324-6f7	1,140	3242-6	1,792
	3P + N + E	6h	380 - 415 V	325-6f7	1,195	3252-6	1,870



63A	2P + E	6h	200 - 250 V	3331-6	3,906	333-6	5,030
	3P + E	6h	380 - 415 V	3341-6	4,050	334-6	5,095
	3P + N + E	6h	380 - 415 V	3351-6	4,165	335-6	5,215
125A	2P + E	6h	200 - 250 V			343-6	15,115
	3P + E	6h	380 - 415 V			344-6	15,315
	3P + N + E	6h	380 - 415 V			345-6	15,455



PANEL MOUNTED ANGLED SOCKET - CEE TYPE

Amps	No of Poles	Ref Hours	Rated Voltage	IP44	Price	IP67	Price
16A	2P + E	6h	200 - 250 V	413-6f87	700	4132-6f87	1,308
	3P + E	6h	380 - 415 V	414-6f87	978	4142-6f87	1,450
	3P + N + E	6h	380 - 415 V	415-6f87	945	4152-6f87	1,430
32A	2P + E	6h	200 - 250 V	423-6	998	4232-6f78	1,745
	3P + E	6h	380 - 415 V	424-6	1,140	4242-6f78	1,845
	3P + N + E	6h	380 - 415 V	425-6	1,175	4252-6f78	1,915
63A	2P + E	6h	200 - 250 V	4331-6	3,945	433-6	5,030
	3P + E	6h	380 - 415 V	4341-6	UR	434-6	5,095
	3P + N + E	6h	380 - 415 V	4351-6	4,165	435-6	5,215
125A	2P + E	6h	200 - 250 V			443-6	15,115
	3P + E	6h	380 - 415 V			444-6	15,315
	3P + N + E	6h	380 - 415 V			445-6	12,100



INTERLOCKED SOCKET - CEE TYPE

Amps	No of Poles	Ref Hours	Rated Voltage	IP44	Price	IP67	Price
16A	2P + E	6h	200 - 250 V	6113-6	8,230	61132-6	9,680
	3P + E	6h	380 - 415 V	6114-6	8,422	61142-6	9,775
	3P + N + E	6h	380 - 415 V	6115-6	9,195	61152-6	10,650
32A	2P + E	6h	200 - 250 V	6123-6	8,705	61232-6	10,160
	3P + E	6h	380 - 415 V	6124-6	8,865	61242-6	10,295
	3P + N + E	6h	380 - 415 V	6125-6	9,675	61252-6	11,125
63A	2P + E	6h	200 - 250 V			75332-6	27,090
	3P + E	6h	380 - 415 V			75342-6	28,545
	3P + N + E	6h	380 - 415 V			75352-6	30,480
125A	2P + E	6h	200 - 250 V			9755102	UR
	3P + E	6h	380 - 415 V			9755099	UR
	3P + N + E	6h	380 - 415 V			9755100	1,09,335





INTERLOCKED SOCKET WITH DIN RAIL - CEE TYPE							
Amps	No of Poles	Ref Hours	Rated Voltage	IP44	Price	IP67	Price
16A	2P + E	6h	200 - 250 V	15806 11 IP44	10,885	15806 11 IP67	12,340
	3P + E	6h	380 - 415 V	15806 12 IP44	11,110	15806 12 IP67	12,430
	3P + N + E	6h	380 - 415 V	15806 13 IP44	11,370	15806 13 IP67	12,820
32A	2P + E	6h	200 - 250 V	15806 14 IP44	11,368	15806 14 IP67	12,820
	3P + E	6h	380 - 415 V	15806 15 IP44	12,165	15806 15 IP67	12,865
	3P + N + E	6h	380 - 415 V	15806 16 IP44	11,850	15806 16 IP67	13,325
63A	2P + E	6h	200 - 250 V			76332-6	UR
	3P + E	6h	380 - 415 V			76342-6	UR
	3P + N + E	6h	380 - 415 V			76352-6	UR



SOCKET DB WITH DIN RAIL							
Amps	No of Poles	Ref Hours	Rated Voltage	IP44	Price	IP67	Price
16A	2P + E	6h	200 - 250 V	510001	3,610	610001	4,235
	3P + E	6h	380 - 415 V	510004	UR	610004	UR
	3P + N + E	6h	380 - 415 V	510006	3,860	610006	4,360
32A	2P + E	6h	200 - 250 V	510011	3,910	610011	4,685
	3P + E	6h	380 - 415 V	510014	UR	610014	UR
	3P + N + E	6h	380 - 415 V	510016	4,090	610016	4,865



WALL MOUNTED SOCKET							
Amps	No of Poles	Ref Hours	Rated Voltage	IP44	Price	IP67	Price
16A	2P + E	6h	200 - 250 V	113-6	1,215	1132-6	2,320
	3P + E	6h	380 - 415 V	114-6	UR	1142-6	UR
	3P + N + E	6h	380 - 415 V	115-6	1,410	1152-6	2,615
32A	2P + E	6h	200 - 250 V	123-6	1,410	1232-6	2,720
	3P + E	6h	380 - 415 V	124-6	UR	1242-6	UR
	3P + N + E	6h	380 - 415 V	125-6	1,595	1252-6	2,998



SUCKHO SOCKET & PLUG							
Amps	No of Poles	Rated Voltage	Discription	IP67	Price		
16A	2P + E	200 - 250 V	Schuko Socket	105-0b			532
		200 - 250 V	Schuko Plug	02958			295
		200 - 250 V	Schuko Rubber Plug	0511-s			478
		200 - 250 V	Schuko Rubber Connector	2510-s			898
		200 - 250 V	Schuko Rubber Connector	2511-s			998



THREE WAY CONNECTOR - CEE TYPE

Amps	No of Poles	Rated Voltage	Discription	IP67	Price	
16A	■ 2P + E	6h	200 - 250 V	Connector - 3 Way 3 x 16/3 Plug 16/3 6h IP44	9432000	5,810
		6h	200 - 250 V	Connector - 3 Way 3 x 16/3 Plug 16/3 6h IP67	9432001	7,740
		6h	200 - 250 V	Connector - 3 Way 3 x 16/3 6h IP44	9432006	7,260
		6h	200 - 250 V	Connector - 3 Way 3 x 16/3 6h IP67	9432007	9,195



INTERLOCKED SOCKET - HORIZONTAL - CEE TYPE

Amps	No of Poles	Ref Hours	Rated Voltage	IP67	Price
16A	■ 2P + E	6h	200 - 250 V	25,108	4,530
	■ 3P + E	6h	380 - 415 V	25,109	UR
	■ 3P + N + E	6h	380 - 415 V	25,110	5,430
32A	■ 2P + E	6h	200 - 250 V	25,111	UR
	■ 3P + E	6h	380 - 415 V	25,112	UR
	■ 3P + N + E	6h	380 - 415 V	25,113	5,845



SOCKET DISTRIBUTION BOARDS - PCE FLEX RANGE - IP66/67

Model	Discription	Dimension in mm	Price
15850600	IP 66/67 Socket DB- 6 Module MCB Suitable for fixing upto 3 sockets (16A or 32A).	471 x 160 x 132	4,115
15851600	IP 66/67 Socket DB- 16 Module MCB Suitable for fixing upto 6 Sockets (16A or 32A).	471 x 330 x 158	7,575



SOCKET DISTRIBUTION BOARDS - IP65

Model	Discription	Dimension in mm	Price
3951	IP 65 Socket DB- 8 Module MCB Suitable for fixing upto 4 Sockets (16A or 32A).	500 x 230 x 155	UR
3957-20	IP 65 Socket DB- 9 Module MCB Suitable for fixing upto 2 sockets (16A or 32A) or 1x63A Socket.	245 x 215 x 150	4,190.00
3959	IP 65 Socket DB- 12 Module MCB Suitable for fixing upto 4 sockets (16A or 32A).	400 x 265 x 155	6,150.00
3964	IP 65 MCB DB- 13 Module MCB DB	175 x 330 x 155	UR
3974	IP 65 Socket DB- 16 Module MCB Suitable for fixing upto 3 sockets (16A or 32A).	330 x 330 x 155	7,230
3977	IP 65 Socket DB- 32 Module MCB Suitable for fixing upto 6 sockets(16A or 32A).	685 x 330 x 155	UR



SOCKET DISTRIBUTION BOARD										
MODEL	DISCRIPTION	STRAIGHT SOCKET				ANGLED SOCKET				
		PART NO - IP44	PRICE (INR)	PART NO - IP67	PRICE (INR)	PART NO - IP44	PRICE (INR)	PART NO - IP67	PRICE (INR)	
3957 - 9 MODULE MCB PROVISION	1 X 16A 3P + 1 X 32A 5P	3957 11 16 00 IP44 S	6,275	3957 11 16 00 IP67 S	7,675	3957 11 16 00 IP44 A	6,275	3957 11 16 00 IP67 A	7,675	
	1 X 16A 3P + 1 X 16A 5P	3957 11 13 00 IP44 S	6,040	3957 11 13 00 IP67 S	7,175	3957 11 13 00 IP44 A	6,040	3957 11 13 00 IP67 A	7,175	
	1 X 32A 3P + 1 X 32A 5P	3957 14 16 00 IP44 S	6,580	3957 14 16 00 IP67 S	8,125	3957 14 16 00 IP44 A	6,580	3957 14 16 00 IP67 A	8,125	
	2 X 16A 3P	3957 21 00 00 IP44 S	5,785	3957 21 00 00 IP67 S	7,050	3957 21 00 00 IP44 A	5,785	3957 21 00 00 IP67 A	7,050	
3959 - 12 MODULE MCB PROVISION	2 X 16A 3P + 2 X 32A 5P	3959 21 26 00 IP44 S	10,235	3959 21 26 00 IP67 S	13,035	3959 21 26 00 IP44 A	10,235	3959 21 26 00 IP67 A	13,035	
	2 X 16A 3P + 2 X 16A 5P	3959 21 23 00 IP44 S	9,765	3959 21 23 00 IP67 S	12,030	3959 21 23 00 IP44 A	9,765	3959 21 23 00 IP67 A	12,030	
	2 X 32A 3P + 2 X 32A 5P	3959 24 26 00 IP44 S	10,850	3959 24 26 00 IP67 S	13,935	3959 24 26 00 IP44 A	10,850	3959 24 26 00 IP67 A	13,935	
	3 X 16A 3P + 1 X 32A 5P	3959 31 16 00 IP44 S	9,745	3959 31 16 00 IP67 S	12,410	3959 31 16 00 IP44 A	9,745	3959 31 16 00 IP67 A	12,410	
	3 X 16A 3P + 1 X 16A 5P	3959 31 13 00 IP44 S	9,510	3959 31 13 00 IP67 S	11,910	3959 31 13 00 IP44 A	9,510	3959 31 13 00 IP67 A	11,910	
	4 X 16A 3P	3959 41 00 00 IP44 S	9,260	3959 41 00 00 IP67 S	11,785	3959 41 00 00 IP44 A	9,260	3959 41 00 00 IP67 A	11,785	
	4 X 16A 5P	3959 43 00 00 IP44 S	10,270	3959 43 00 00 IP67 S	12,280	3959 43 00 00 IP44 A	10,270	3959 43 00 00 IP67 A	12,280	
	4 X 32A 3P	3959 44 00 00 IP44 S	10,490	3959 44 00 00 IP67 S	13,585	3959 44 00 00 IP44 A	10,490	3959 44 00 00 IP67 A	13,585	
	2 X 16A 3P + 1 X 32A 5P	3959 21 16 00 IP44 S	9,020	3959 21 16 00 IP67 S	11,055	3959 21 16 00 IP44 A	9,020	3959 21 16 00 IP67 A	11,055	
	2 X 16A 3P + 1 X 16A 5P	3959 21 13 00 IP44 S	8,785	3959 21 13 00 IP67 S	10,550	3959 21 13 00 IP44 A	8,785	3959 21 13 00 IP67 A	10,550	
	2 X 32A 3P + 1 X 32A 5P	3959 24 16 00 IP44 S	9,640	3959 24 16 00 IP67 S	11,955	3959 24 16 00 IP44 A	9,640	3959 24 16 00 IP67 A	11,955	
	2 X 32A 3P + 1 X 16A 5P	3959 24 13 00 IP44 S	9,405	3959 24 13 00 IP67 S	11,450	3959 24 13 00 IP44 A	9,405	3959 24 13 00 IP67 A	11,450	
	3 X 16A 3P	3959 31 00 00 IP44 S	8,535	3959 31 00 00 IP67 S	10,430	3959 31 00 00 IP44 A	8,535	3959 31 00 00 IP67 A	10,430	
	3 X 32A 3P	3959 34 00 00 IP44 S	8,535	3959 34 00 00 IP67 S	10,430	3959 34 00 00 IP44 A	8,535	3959 34 00 00 IP67 A	10,430	
	3950 - 6 MODULE MCB PROVISION	3 X 16A 3P	3950 31 00 00 IP44 S	6,435	3950 31 00 00 IP67 S	8,325	3950 31 00 00 IP44 A	6,435	3950 31 00 00 IP67 A	8,325
		3 X 32A 3P	3950 34 00 00 IP44 S	7,360	3950 34 00 00 IP67 S	9,675	3950 34 00 00 IP44 A	7,360	3950 34 00 00 IP67 A	9,675
2 X 16A 3P + 1 X 32A 5P		3950 21 16 00 IP44 S	6,920	3950 21 16 00 IP67 S	8,955	3950 21 16 00 IP44 A	6,920	3950 21 16 00 IP67 A	8,955	
2 X 16A 3P + 1 X 16A 5P		3950 21 13 00 IP44 S	6,685	3950 21 13 00 IP67 S	8,450	3950 21 13 00 IP44 A	6,685	3950 21 13 00 IP67 A	8,450	
3952 - 16 MODULE MCB PROVISION	2 X 32A 3P + 1 X 32A 5P	3950 24 16 00 IP44 S	7,535	3950 24 16 00 IP67 S	9,855	3950 24 16 00 IP44 A	7,535	3950 24 16 00 IP67 A	9,855	
	3 X 16A 3P + 3 X 32A 5P	3952 31 36 00 IP44 S	13,650	3952 31 36 00 IP67 S	17,855	3952 31 36 00 IP44 A	13,650	3952 31 36 00 IP67 A	17,855	
	4 X 16A 3P + 2 X 32A 5P	3952 41 26 00 IP44 S	13,160	3952 41 26 00 IP67 S	17,230	3952 41 26 00 IP44 A	13,160	3952 41 26 00 IP67 A	17,230	
	5 X 16A 3P + 1 X 32A 5P	3952 51 16 00 IP44 S	12,675	3952 51 16 00 IP67 S	16,600	3952 51 16 00 IP44 A	12,675	3952 51 16 00 IP67 A	16,600	
	3 X 16A 3P + 3 X 16A 5P	3952 31 33 00 IP44 S	12,950	3952 31 33 00 IP67 S	16,350	3952 31 33 00 IP44 A	12,950	3952 31 33 00 IP67 A	16,350	
	4 X 16A 3P + 2 X 16A 5P	3952 41 23 00 IP44 S	12,695	3952 41 23 00 IP67 S	16,225	3952 41 23 00 IP44 A	12,695	3952 41 23 00 IP67 A	16,225	
	5 X 16A 3P + 1 X 16A 5P	3932 51 13 00 IP44 S	12,440	3932 51 13 00 IP67 S	16,100	3932 51 13 00 IP44 A	12,440	3932 51 13 00 IP67 A	16,100	
	3 X 32A 3P + 3 X 32A 5P	3952 34 36 00 IP44 S	14,575	3952 34 36 00 IP67 S	19,205	3952 34 36 00 IP44 A	14,575	3952 34 36 00 IP67 A	19,205	
	4 X 32A 3P + 2 X 32A 5P	3952 44 26 00 IP44 S	14,395	3952 44 26 00 IP67 S	19,030	3952 44 26 00 IP44 A	14,395	3952 44 26 00 IP67 A	19,030	
	5 X 32A 3P + 1 X 32A 5P	3952 54 16 00 IP44 S	14,215	3952 54 16 00 IP67 S	18,855	3952 54 16 00 IP44 A	14,215	3952 54 16 00 IP67 A	18,855	
	3 X 16A 3P + 2 X 16A 5P + 1 X 32A 5P	3952 31 23 16 IP44 S	13,180	3952 31 23 16 IP67 S	16,850	3952 31 23 16 IP44 A	13,180	3952 31 23 16 IP67 A	16,850	
	4 X 16A 3P + 1 X 16A 5P + 1 X 32A 5P	3952 41 13 16 IP44 S	12,930	3952 41 13 16 IP67 S	16,725	3952 41 13 16 IP44 A	12,930	3952 41 13 16 IP67 A	16,725	
3974 - 16 MODULE MCB PROVISION	6 X 32A 3P	3952 64 00 00 IP44 S	14,040	3952 64 00 00 IP67 S	18,675	3952 64 00 00 IP44 A	14,040	3952 64 00 00 IP67 A	18,675	
	6 X 16A 3P	3952 61 00 00 IP44 S	12,185	3952 61 00 00 IP67 S	15,975	3952 61 00 00 IP44 A	12,185	3952 61 00 00 IP67 A	15,975	
	1 X 16A 3P + 2 X 32A 5P	3974 11 26 00 IP44 S	10,630	3974 11 26 00 IP67 S	12,805	3974 11 26 00 IP44 A	10,630	3974 11 26 00 IP67 A	12,805	
	1 X 16A 3P + 2 X 16A 5P	3974 11 23 00 IP44 S	10,165	3974 11 23 00 IP67 S	11,800	3974 11 23 00 IP44 A	10,165	3974 11 23 00 IP67 A	11,800	
	3 X 32A 5P	3974 36 00 00 IP44 S	11,120	3974 36 00 00 IP67 S	13,430	3974 36 00 00 IP44 A	11,120	3974 36 00 00 IP67 A	13,430	
3 X 16A 5P	3974 33 00 00 IP44 S	10,580	3974 33 00 00 IP67 S	12,900	3974 33 00 00 IP44 A	10,580	3974 33 00 00 IP67 A	12,900		

*The Above mentioned are some general fast moving combinations - For other combinations please contact us



* Different range of Solid Rubber DB's Available - For more information please contact us



ISOLATOR BOX						
DISCRIPTION	THERMOPLASTIC - IP65			THERMOPLASTIC WEATHERPROOF - IP65		
	PART NO	PRICE		PART NO	PRICE	
16A DP ISOLATOR BOX	CIB001PS	2,615		CIB001PC	3,170	
16A FP ISOLATOR BOX	CIB002PS	3,245		CIB002PC	3,800	
32A DP ISOLATOR BOX	CIB003PS	3,090		CIB003PC	3,810	
32A FP ISOLATOR BOX	CIB004PS	3,840		CIB004PC	4,555	



PUSHBUTTON STATION						
DISCRIPTION	THERMOPLASTIC - IP65			THERMOPLASTIC WEATHERPROOF - IP65		
	PART NO	PRICE		PART NO	PRICE	
EMERGENCY STOP WITH TURN RELEASE	CPB001PS	1,265		CPB001PC	2,010	
EMERGENCY STOP WITH KEY RELEASE	CPB002PS	1,595		CPB002PC	2,340	
START / EMERGENCY STOP TURN TO RELEASE	CPB003PS	2,050		CPB003PC	2,605	
START / EMERGENCY STOP WITH KEY RELEASE	CPB004PS	2,375		CPB004PC	2,930	
START / STOP	CPB005PS	1,865		CPB005PC	2,420	
FORWARD / REVERSE / STOP	CPB006PS	2,540		CPB006PC	3,490	
START & STOP WITH SELECTOR SWITCH	CPB007PS	3,175		CPB007PC	4,125	



JUNCTION BOX						
DISCRIPTION	THERMOPLASTIC - IP65/IP66			THERMOPLASTIC WEATHERPROOF - IP65/IP66		
	PART NO	PRICE		PART NO	PRICE	
2.5 / 4 Sq mm - 5 Terminal - 93x93x55 mm	CJB001PS	710		CJB001PC	985	
2.5 / 4 Sq mm - 9 Terminal - 93x93x55 mm	CJB002PS	825		CJB002PC	1,105	
2.5 Sq mm - 16 Terminal - 140x140x79 mm	CJB003PS	1,720		CJB003PC	2,220	
4 Sq mm - 16 Terminal - 140x140x79 mm	CJB004PS	1,820		CJB004PC	2,320	
6 Sq mm - 5 Terminal - 110x110x67 mm	CJB005PS	1,335		CJB005PC	1,545	
6 Sq mm - 9 Terminal - 140x140x79 mm	CJB006PS	1,620		CJB006PC	2,120	
10 Sq mm - 10 Terminal - 140x140x79 mm	CJB007PS	1,805		CJB007PC	2,305	
16 Sq mm - 5 Terminal - 182x180x111 mm	CJB008PS	2,530		CJB008PC	3,420	
25/35 Sq mm - 5 Terminal - 254x180x111 mm	CJB009PS	3,860		CJB009PC	4,010	
50 Sq mm - 5 Terminal - 360x254x111 mm	CJB010PS	6,820		CJB010PC	7,580	
70 Sq mm - 5 Terminal - 360x254x111 mm	CJB011PS	7,520		CJB011PC	8,280	

*The Above mentioned are some general fast moving combinations - For other combinations please contact us

- Price : Ex-Works Oragadam
- GST : GST extra as applicable
- Insurance : Good will get dispatched duly insured
- Freight : Freight to be borne by the customer
- Place of Jurisdiction : Chennai

The above prices are subject to change without notice

CEPL/PL/03/01-23



CAPE
ELECTRIC

CAPE Electric Pvt Ltd
Plot A-41B, SIPCOT
Oragadam, Sriperumbudur Taluk
Kancheepuram District - 602 105
Tel : 044-7101 8121/125
Email : sales@capeindia.net
Web : www.capeindia.net