




Converging
Innovations



Expanding
Solutions

Price List

Effective from April 2024




❖ DIN Rail Mounted Terminal Blocks





since 1963

Converging
Innovations  Expanding
Solutions



**Solutions For
Connectivity**




**Solutions For
Solar Photovoltaic**



**Solutions For
Metering & Protection**



**Solutions For
Control & Instrumentation**



**Solutions For
Railways**



**Solutions For
Oil & Gas Industry**

INDEX



PRODUCT	PAGE NUMBER
DIN RAIL MOUNTED TERMINALS POLYAMIDE 6.6	
FEED THROUGH TERMINALS	
KUTM2.5	6
KUT2.5	6
KUT4	6
KST4UWS (Spring Loaded)	6
KUT6	6
KST6WS (Spring Loaded)	6
KUT10	6
KUT16	6
KUT25	6
KUT35	6
KUT50	6
KUT95	6
MULTIPLE OUTPUT TERMINALS (KUT SERIES)	
KUT4-1X2	6
KUT4-2X2	6
SPRING LOADED TERMINALS	
KULT4	7
KULT6	7
KULT1	7
EARTH TERMINALS	
ET4	7
ET6	7
ET10	7
ET16	7
ET35	7
ET50	7
MULTI-LEVEL TERMINALS (DOUBLE DECK)	
KU2D4	7
KU2D4S (Internally Shorted)	7
KUDD4	7
MULTI-LEVEL TERMINALS (TRIPLE DECK)	
DU3D4	8
DUSD4	8
THERMOCOUPLE TERMINALS	
KUT4NTCK	8
KUT4NTCJ	8
KUT4NTCT	8
KUT4NTCE	8
PHOTOVOLTAIC (N SERIES)	
KUT2.5N	8
KUT4N	8
KUT6N	8
KUT10N	8
KUDD4N	8
EARTH TERMINALS (N SERIES)	
ETN4	8
ETN6	8
ETN10	9
ETDD4N	9
STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
KATM3	9
KATM3C (Shrouded Version)	9
KATM4	9
KATM4C (Shrouded Version)	9

PRODUCT	PAGE NUMBER
STUD TYPE TERMINALS	
KATM5	9
KATM5C (Shrouded Version)	9
KABTM3L (Screw & Nut Driver Operated)	9
KABTM3LC (Shrouded - Screw & Nut Driver Operated)	9
KABTM4 (Screw & Nut Driver Operated)	9
KABTM4C (Shrouded - Screw & Nut Driver Operated)	9
KABTM5 (Screw & Nut Driver Operated)	9
KABTM5C (Shrouded - Screw & Nut Driver Operated)	9
KATM3E	9
KATM4E	9
STUD TYPE TERMINALS (NUT DRIVER OPERATED)	
KBTM4	10
KBTM4C (Shrouded Version)	10
KBTM5-15	10
KBTM5-15C (Shrouded Version)	10
KBTM6	10
KBTM6C (Shrouded Version)	10
KBTM4E	10
KBTM5E	10
KBTM6E	10
STUD TYPE TERMINALS (HINGED TYPE)	
OAT2.5	10
OAT6	10
OAT25	10
FUSE TERMINALS	
KUDF4NV	11
KUDF4AD (With LED Indication)	11
KUFH4	11
KUFH4D (With LED Indication)	11
KUFH4A (With LED Indication)	11
UBDF4	11
UBDF4D (With LED Indication)	11
UBDF4A (With LED Indication)	11
KUF10	11
KUF10D (With LED Indication)	11
KUF10A (With LED Indication)	11
FUSE FEED THROUGH TERMINALS	
KUDDF4	11
KUDDF4AD (With LED Indication)	11
DISCONNECTING TERMINALS (SLIDING LINK TYPE)	
KLTD4NV	12
KLTD4-2W	12
KUTSD6	12
KUTD10	12
KULTD6 (Spring Loaded)	12
OAT6T (Hinged Type)	12
OAT6DTS (Hinged Type)	12
OAT6DTS-2W (Hinged Type)	12
OAT10DTS	12
DISCONNECTING TERMINALS (KNIFE EDGE TYPE)	
KULTD4	12
KULTD4WS (Spring Loaded)	12
KUDT4-2X2	12
KUDT6	12

INDEX




PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
PLUG & SOCKET TERMINALS		COMPONENT HOUSING	
PS8M (2W to 8W)	13	KPCH4	16
POWER TERMINALS (PANEL MOUNTED)		KPCH6	16
PAT30	13	KUDD4CC1	16
PAT100	13	KUDD4CC2	16
PAT150	13	KUDD4CA1	16
PAT250	13	KUDD4CA2	16
POWER TERMINALS		KUDD4D1	16
KBT100	13	KUDD4R	16
DPBB50	13	KUDD4MOV	16
DPBB50CN	13	CH4 / CH6	16
DPBB70	13	CH4D1 / CH6D1	16
DPBB70CN	13	CH4R1 / CH6R1	16
DPBB120	13	CH4MOV1 / CH6MOV1	16
DPBB120CN	13	MICRO TERMINALS	
DPBB185N	13	SUT1.5	17
DPBB240	14	SUT4	17
POWER TERMINALS (SHROUDED)		CET4	17
SPT35	14	MBT4	17
SPT70	14	SET4	17
SPT95	14	PET4	17
SPT120	14	PBTM3	17
SPT150	14	PBTM4	17
SPT185	14	SPRING CLAMP TERMINALS (FEED THROUGH)	
SPT240	14	DST2.5	17
SPT300	14	DST4	17
DISTRIBUTION BLOCKS		DST6	17
FDBK-1X2	14	DST10	17
FDBK-1X4	14	DST16	18
FDBK-1X8	14	DST35	18
FDBK3	14	DST2.5-1X2	18
FDBK4	14	DST2.5-2X2	18
FDBK8	14	DST4-1X2	18
DBK-1X2	15	DST4-2X2	18
DBK-1X4	15	DST6-1X2	18
DBK-1X8	15	DST10-1X2	18
DFBK12	15	DST16-1X2	18
DBK3	15	DST2.5-2C1P	18
DBK4	15	DST2.5-2C2P	18
DBK5	15	DST2.5-2C1PP	18
DBK8	15	SCT2.5 (Side - Entry)	18
DBK150/16-1X2	15	SCT4 (Side - Entry)	18
DBK150/16-1X4	15	SCT6 (Side - Entry)	18
DBK150/16-1X8	15	SCT10 (Side - Entry)	18
DBK150/25-1X2	15	SPRING CLAMP MULTI-LEVEL TERMINALS	
DBK150/25-1X4	15	DSDD2.5	19
DBK150/25-1X8	15	DS3L2.5	19
DBK150/M6C-1X2	15	DS8LP16	19
DBK150/M6C-1X4	15	DS8LP32	19
DBK150/M6C-1X8	15	SPRING CLAMP FUSE TERMINALS	
COMPACT DISTRIBUTION BLOCKS		DCF4	19
DBD16	16	DCF4D (With LED Indication)	19
DBD35	16	DCF4A (With LED Indication)	19


INDEX





PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
SPRING CLAMP FUSE TERMINALS		SPRING LOADED TERMINALS	
SCF6	19	CST2.5WS	22
SPRING CLAMP DISCONNECT TERMINALS		CST6WS	22
DSDT2.5	19	CSLT1	22
DSDT2.5-2X2	19	STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
SPRING CLAMP DISTRIBUTION BLOCKS		CATM3	22
DTB35-10	19	CATM4	22
DTB35-10X4	19	CATM5	22
SPRING CLAMP TERMINALS (EARTHING)		STUD TYPE TERMINALS (NUT DRIVER OPERATED)	
DSET2.5	19	CBTM4	23
DSET4	19	CBTM5	23
DSET6	20	CBTM6	23
DSET10	20	CBTM6S1	23
DSET2.5-1X2	20	STUD TYPE TERMINALS (ECREW & NUT DRIVER OPERATED)	
DSET2.5-2X2	20	CABTM4	23
SPRING CLAMP MICRO TERMINALS		PLUG & SOCKET TERMINALS	
MCT2.5MC	20	PSC1/5	23
SCT2.5MC	20	TEST - DISCONNECT TERMINALS	
SPRING CLAMP MICRO TERMINALS (PANEL MOUNTED)		CATDM4	23
MCT1.5	20	CLTDM4	23
MCT2.5	20	POWER TERMINALS	
MCT2.5P4	20	CBT100	23
MCT4	20	CBT110	23
MCT4P4	20	CBT170	23
SPRING CLAMP MICRO TERMINALS (DIN RAIL MOUNTED)		CBT250	23
DMCT2.5P4	20	CBT300	23
PLUG & SOCKET TERMINALS		POWER TERMINALS (WITH TAPPED CURRENT BAR)	
DPSC5.08 (Wire to Wire)	21	CBT110T	24
DPSC5.08 (Panel Mounted)	21	CBT170T	24
LIGHTING POLE TERMINALS		CBT250T	24
LPT225	21	CBT300T	24
LPT235	21	ACCESSORIES	
LPT325	21	DIN RAIL & END CLAMPS	29
LPT335	21	MARKING LABELS & WARNING LABELS	30
NEUTRAL LINKS		END PLATES	31-32
KNL4	21	PARTITION PLATES	32
KNL16	21	INTER CONNECTING ACCESSORIES	33-34
KNL35	21	PROTECTION COVERS	34
PCB CONNECTORS			
PUT2.5	21		
DIN RAIL MOUNTED TERMINALS MELAMINE FEED THROUGH TERMINALS			
CST2.5	22		
CST6	22		
CST10	22		
CST16	22		
CST25	22		
CST35	22		


Feed Through Terminals


KUTM2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTM2.5	10.00	11.00
	Voltage: 800 V	End Plate	KPNS	5.70	6.30
	Current: 24 A	Shorting Link	CCLK2.5	14.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.00	-
	Torque: 0.5 Nm				


KUT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT2.5	9.70	10.70
	Voltage: 800 V	End Plate	KPNS	5.70	6.30
	Current: 24 A	Shorting Link	CCLM2.5K	14.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


KUT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4	12.00	13.20
	Voltage: 800 V	End Plate	KPX	6.70	7.40
	Current: 32 A	Shorting Link	CCLA2.5	16.50	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	10.00	-
	Torque: 0.5 Nm				


KST4UWS (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KST4UWS	35.00	38.50
	Voltage: 800 V	End Plate	KPX	6.70	7.40
	Current: 32 A	Shorting Link	CCLA2.5	16.50	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	10.00	-
	Torque: 0.5 Nm				


KUT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT6	17.10	18.80
	Voltage: 800 V	End Plate	KPX	6.70	7.40
	Current: 41 A	Shorting Link	CCLA6	16.50	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 0.8 Nm				


KST6WS (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KST6WS	45.00	49.50
	Voltage: 630 V	End Plate	KSP6WS	13.30	-
	Current: 41 A	Shorting Link	CCLA6	16.50	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 0.8 Nm				


KUT10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT10	21.70	23.90
	Voltage: 800 V	End Plate	KPX	6.70	7.40
	Current: 57 A	Shorting Link	CCLA10	18.00	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.00	-
	Torque: 1.2 Nm				

KUT16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT16	38.00	41.80
	Voltage: 1000 V	End Plate	KPY	8.60	9.50
	Current: 76 A	Shorting Link	CCLA16	21.00	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.00 (5 labels)	-
	Torque: 1.2 Nm				


KUT25				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT25	60.50	66.60
	Voltage: 1000 V	End Plate	KPT	8.60	9.50
	Current: 101 A	Shorting Link	CCLA25	23.50	-
	Wire Size: 25 mm ²	Marker	LabelKN12	12.00 (5 labels)	-
	Torque: 2.3 Nm				


KUT35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT35	85.00	93.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	CCLA35K	28.00	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.00 (5 labels)	-
	Torque: 3 Nm				

KUT50				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50	250.00	275.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 150 A	Shorting Link	CCLA50	150.00	-
	Wire Size: 50 mm ²	Marker	LabelKN17	13.00 (5 labels)	-
	Torque: 8 Nm				


KUT95				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT95	400.00	440.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 232 A	Shorting Link	Not Required	-	-
	Wire Size: 95 mm ²	Marker	LabelKN17	13.00 (5 labels)	-
	Torque: 20 Nm				


Multiple Output Terminals (KUT Series)


KUT4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-1X2	28.00	30.80
	Voltage: 1000 V	End Plate	KPM4	12.00	13.20
	Current: 32 A	Shorting Link	CCLA4N	15.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				

KUT4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-2X2	39.00	42.90
	Voltage: 800 V	End Plate	KPMD4	16.50	18.20
	Current: 24 A	Shorting Link	CCLA4N	15.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


Spring Loaded Terminals


KULT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT4	33.00	36.30
	Voltage: 1000 V	End Plate	KPSL	12.00	13.20
	Current: 32 A	Shorting Link	CCLAK4	15.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


KULT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT6	35.00	38.50
	Voltage: 1000 V	End Plate	KPSL	12.00	13.20
	Current: 41 A	Shorting Link	CCLAK6	17.50	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 1.4 Nm				


KULT1				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT1	45.00	49.50
	Voltage: 1000 V	End Plate	KPSL	12.00	13.20
	Current: 57 A	Shorting Link	CCLA1LK	23.00	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.00 (5 labels)	-
	Torque: 1.2 Nm				


Earth Terminals


ET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET4	81.00	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	9.50	-

ET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET6	92.00	-
	Wire Size: 6 mm ²	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.00	-


ET10				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET10	114.00	-
	Wire Size: 10 mm ²	End Plate	Not Required	-	-
	Torque: 1.2 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.00	-


ET16				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET16	127.00	-
	Wire Size: 16 mm ²	End Plate	Not Required	-	-
	Torque: 1.2 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN12	12.00 (5 labels)	-


ET35				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET35	275.00	-
	Wire Size: 35mm ²	End Plate	Not Required	-	-
	Torque: 3 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN12	12.00 (5 labels)	-

ET50				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET50	700.00	-
	Wire Size: 50mm ²	End Plate	Not Required	-	-
	Torque: 8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN17	13.00 (5 labels)	-

Double Deck Terminals


KU2D4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KU2D4	30.50	33.60
	Voltage: 500 V	End Plate	EPDD4	11.50	12.70
	Current: 24 A	Shorting Link	CCLADD	14.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.4 Nm				


KU2D4S (Internally Shorted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KU2D4S	42.00	46.20
	Voltage: 500 V	End Plate	EPDD4	11.50	12.70
	Current: 24 A	Shorting Link	SLC4N	18.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.4 Nm				

KUDD4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDD4	34.50	38.00
	Voltage: 500 V	End Plate	KPDD	11.50	12.70
	Current: 24 A	Shorting Link	CCLADD	14.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.4 Nm				


All Shorting Link Prices are for 2 Way Shorting.

Triple Deck Terminals


DU3D4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DU3D4	80.00	88.00
	Voltage: 500 V	End Plate	DP3D	16.00	17.60
	Current: 20 A	Shorting Link	CCLATD	14.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


DUSD4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DUSD4	50.00	55.00
	Voltage: 500 V	End Plate	DPSD	12.00	13.20
	Current: 20 A	Shorting Link	CCLATD	14.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


Thermocouple Terminals


KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE				
	Type	Terminal	Std. Colour	Non Std. Colour
	'K' Type	KUT4NTCK	85.00	93.50
	'J' Type	KUT4NTCJ	115.00	126.50
	'T' Type	KUT4NTCT	115.00	126.50
	'E' Type	KUT4NTCE	115.00	126.50
	End Plate	KPXN	7.90	8.70
	Marker	LabelKN12	12.00 (5 labels)	-


KUT-N Series (Photovoltaic Application)

KUT2.5N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT2.5N	11.70	12.90
	Voltage: 1000 V	End Plate	KPXN	7.90	8.70
	Current: 24 A	Shorting Link	CCLM2.5N	14.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.00	-
	Torque: 0.4 Nm				


KUT4N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4N	13.90	15.30
	Voltage: 1000 V	End Plate	KPXN	7.90	8.70
	Current: 32 A	Shorting Link	CCLA4N	15.00	-
	Wire Size: 4mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


KUT6N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT6N	18.10	19.90
	Voltage: 1000 V	End Plate	KPXN	7.90	8.70
	Current: 41 A	Shorting Link	CCLA6N	16.50	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 0.8 Nm				

KUT10N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT10N	24.00	26.40
	Voltage: 1000 V	End Plate	KPXN	7.90	8.70
	Current: 63 A	Shorting Link	CCLA10N	18.00	-
	Wire Size: 10mm ²	Marker	LabelKN10	12.00	-
	Torque: 1.2 Nm				

KUDD4N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDD4N	52.00	57.20
	Voltage: 630 V	End Plate	KPDDN	18.00	19.80
	Current: 28 A	Shorting Link	CCLADDN	18.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


Earth Terminals (N-Series)


ETN4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ETN4	80.00	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	9.50	-

ETN6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ETN6	93.00	-
	Wire Size: 6 mm ²	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.00	-


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





ETN10		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	ETN10	110.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.00	-


ETDD4N		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	ETDD4N	135.00	-
	End Plate	KPDDN (Gr)	19.80	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5.5	9.50	-


Stud Type Terminals (Screw Driver Operated)


KATM3		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3	40.00	44.00
	End Plate	KPS4	10.50	11.60
	Shorting Link	KSL3	24.00	-
	Marker	LabelKN6.5	10.00	-


KATM3C (Shrouded)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3C	48.00	52.80
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	10.00	-


KATM4		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4	50.00	55.00
	End Plate	KPS4	10.50	11.60
	Shorting Link	KSL4	25.00	-
	Marker	LabelKN6.5	10.00	-


KATM4C (Shrouded)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4C	54.00	59.40
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.00	-


KATM5		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KATM5	60.00	66.00
	End Plate	KPS4	10.50	11.60
	Shorting Link	KSL4	25.00	-
	Marker	LabelKN6.5	10.00	-


KATM5C (Shrouded)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KATM5C	65.00	71.50
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.00	-


KABTM3L (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KABTM3L	33.00	36.30
	End Plate	KPS4	10.50	11.60
	Shorting Link	KSL3	24.00	-
	Marker	LabelKN6.5	10.00	-


KABTM3LC (Shrouded - Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KABTM3LC	41.00	45.10
	End Plate	-	-	-
	Shorting Link	-	-	-
	Marker	LabelKN6.5	10.00	-


KABTM4 (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KABTM4	43.00	47.30
	End Plate	KPS4	10.50	11.60
	Shorting Link	KSL4	25.00	-
	Marker	LabelKN6.5	10.00	-

KABTM4C (Shrouded - Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KABTM4C	47.00	51.70
	End Plate	-	-	-
	Shorting Link	-	-	-
	Marker	LabelKN10	12.00	-

KABTM5 (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KABTM5	48.00	52.80
	End Plate	KPS4	10.50	11.60
	Shorting Link	KSL4	25.00	-
	Marker	LabelKN6.5	10.00	-


KABTM5C (Shrouded - Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KABTM5C	54.00	59.40
	End Plate	-	-	-
	Shorting Link	-	-	-
	Marker	LabelKN10	12.00	-


KATM3E		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3E	25.00	27.50
	End Plate	KPS4	10.50	11.60
	Shorting Link	KSL3	24.00	-
	Marker	LabelKN6.5	10.00	-


KATM4E		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4E	28.50	31.35
	End Plate	KPS4	10.50	11.60
	Shorting Link	KSL4	25.00	-
	Marker	LabelKN6.5	10.00	-


All Shorting Link Prices are for 2 Way Shorting.


Stud Type Terminals (Nut Driver Operated)


KBTM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM4	45.00	49.50
	Voltage: 1000 V	End Plate	KPS4	10.50	11.60
	Current: 57 A	Shorting Link	KSL4	25.00	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.00	-
Torque: 1.2 Nm					


KBTM4C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM4C	56.00	61.60
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 57 A	Shorting Link	KSL4	25.00	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.00	-
Torque: 1.2 Nm					


KBTM5-15				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM5-15	54.00	59.40
	Voltage: 800 V	End Plate	KPS4	10.50	11.60
	Current: 76 A	Shorting Link	KSL5	26.00	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.00	-
Torque: 2 Nm					


KBTM5-15C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM5-15C	65.00	71.50
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 76 A	Shorting Link	KSL5	26.00	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.00(5 labels)	-
Torque: 2 Nm					

KBTM6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM6	70.00	77.00
	Voltage: 800 V	End Plate	KPS4	10.50	11.60
	Current: 101 A	Shorting Link	KSL6	28.00	-
	Wire Size: 25 mm ²	Marker	LabelKN6.5	10.00	-
Torque: 2.5 Nm					


KBTM6C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM6C	80.00	88.00
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 101 A	Shorting Link	KSL6	28.00	-
	Wire Size: 25 mm ²	Marker	LabelKN17	13.00(5 labels)	-
Torque: 2.5 Nm					


KBTM4E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM4E	33.00	36.30
	Voltage: 1000 V	End Plate	KPS4	10.50	11.60
	Current: 57 A	Shorting Link	KSL4	25.00	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.00	-
Torque: 1.2 Nm					


KBTM5E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM5E	37.50	41.30
	Voltage: 800 V	End Plate	KPS4	10.50	11.60
	Current: 76 A	Shorting Link	KSL5	26.00	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.00	-
Torque: 2 Nm					

KBTM6E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM6E	60.00	66.00
	Voltage: 800 V	End Plate	KPS6	13.00	-
	Current: 125 A	Shorting Link	KSL6	28.00	-
	Wire Size: 35 mm ²	Marker	LabelKN12	12.00(5 labels)	-
Torque: 2 Nm					

Stud Type Terminals (Hinged Type)

OAT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT2.5	43.00	47.30
	Voltage: 800 V	End Plate	OEP2.5	9.70	10.70
	Current: 24 A	Shorting Link	OSL2.5	23.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN6.5	10.00	-
Torque: 0.5 Nm					

OAT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6	52.00	57.20
	Voltage: 800 V	End Plate	OEP6	10.50	11.60
	Current: 41 A	Shorting Link	OSL6	25.00	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.00	-
Torque: 1.5 Nm					

OAT25				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT25	125.00	137.50
	Voltage: 800 V	End Plate	OEP25	14.00	15.40
	Current: 125A	Shorting Link	KSL7	32.00	-
	Wire Size: 25 mm ²	Marker	LabelKN17	13.00(5 labels)	-
Torque: 3 Nm					

Fuse Terminals

KUDF4NV*			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUDF4NV	43.00	47.30
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	24.00	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.00	-
Torque: 0.4 Nm					

KUDF4AD** (With LED Indication)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUDF4AD	63.00	69.30
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	24.00	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.00	-
Torque: 0.4 Nm					

KUFH4			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUFH4	90.00	99.00
	Voltage: 800 V	End Plate	EPFH	13.00	14.30
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.00	-
Torque: 0.5 Nm					

KUFH4*** (With LED Indication)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUFH4D	110.00	121.00
	Voltage: 800 V	End Plate	EPFH	13.00	14.30
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.00	-
Torque: 0.5 Nm					

KUFH4A*** (With LED Indication)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUFH4A	111.00	122.10
	Voltage: 800 V	End Plate	EPFH	13.00	14.30
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.00	-
Torque: 0.5 Nm					

UBDF4			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	UBDF4	65.00	71.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	CLUF	26.00	-
	Wire Size: 4 mm ²	Marker	LabelU8.25	22.00	-
Torque: 0.5 Nm					

UBDF4D***/4A***			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	UBDF4D*	72.00	79.20
	Voltage: 1000 V		UBDF4A*	75.00	82.50
	Current: 6.3 A	End Plate	Not Required	-	-
	Wire Size: 4 mm ²	Shorting Link	CLUF	26.00	-
Torque: 0.5 Nm		Marker	LabelU8.25	22.00	-

LED Kit (For UBDF 4)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Type	LED Kit	30.00	-
	Voltage: 12, 24, 48, 110, 220 VDC 110, 220 VAC				

KUF10			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUF10	116.00	127.60
	Voltage: 1000 V	End Plate	EPF	18.00	19.80
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.00(5 labels)	-
Torque: 1.4 Nm					

KUF10D*** (With LED Indication)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUF10D	133.00	146.30
	Voltage: 1000 V	End Plate	EPF	18.00	19.80
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.00(5 labels)	-
Torque: 1.4 Nm					

KUF10A*** (With LED Indication)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUF10A	138.00	151.80
	Voltage: 1000 V	End Plate	EPF	18.00	19.80
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.00(5 labels)	-
Torque: 1.4 Nm					

Fuse Feed Through Terminals

KUDDF4			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUDDF4	101.00	111.10
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3A UT/28ALT	Shorting Link	UFSL	24.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.00	-
Torque: 0.5 Nm					

KUDDF4AD** (With LED Indication)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUDDF4AD	115.00	126.50
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3A UT/28ALT	Shorting Link	UFSL	24.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.00	-
Torque: 0.5 Nm					


* With spare fuse provision in lever.


**Available Signal Voltage AD12V = 12 V (12KΩ), AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ)


***Available Signal Voltage D1 = 24 VDC (27KΩ), D2 = 48 VDC (56 KΩ), D3 = 110 VDC (130 KΩ), D4 = 220 VDC (270 KΩ), D5 = 12 VDC (12 KΩ), A1 = 110 VAC (130 KΩ), A2 = 220 VAC (270 KΩ)


All Shorting Link Prices are for 2 Way Shorting.


Disconnecting Terminals (Sliding Link Type)


KLTD4NV			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KLTD4NV	64.00	70.40
	Voltage: 800 V	End Plate	KPLD4	14.50	16.00
	Current: 41 A	Shorting Link	KDSL4	26.00	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 1.2 Nm				


KLTD4-2W			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KLTD4-2W	157.00	172.70
	Voltage: 800 V	End Plate	KPLD4	14.50	16.00
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 1.2 Nm				


KUTSD6			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUTSD6	65.00	71.50
	Voltage: 800 V	End Plate	KPSD	13.00	14.30
	Current: 38 A	Shorting Link	SLC6	24.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 1.4 Nm				


KUTD10			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUTD10	95.00	104.50
	Voltage: 630 V	End Plate	KPTD	14.50	16.00
	Current: 61 A	Shorting Link	SLC6	24.00	-
	Wire Size: 10 mm ²	Marker	LabelKN8	11.00	-
	Torque: 1.2 Nm				

KULTD6 (Spring Loaded)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KULTD6	120.00	132.00
	Voltage: 800 V	End Plate	KPSLD	14.00	15.40
	Current: 41 A	Shorting Link	SLD6	26.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 1.0 Nm				


OAT6T (Hinged Type)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	OAT6T	75.00	82.50
	Voltage: 800 V	End Plate	OEP6T	15.00	16.50
	Current: 41 A	Shorting Link	OSL6R	30.00	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.00	-
	Torque: 1.5 Nm				


OAT6DTS			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	OAT6DTS	85.00	93.50
	Voltage: 800 V	End Plate	OEP6DTS	15.50	17.10
	Current: 41 A	Shorting Link	OSL6R	30.00	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.00	-
	Torque: 1.5 Nm				


OAT6DTS-2W			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	OAT6DTS-2W	175.00	192.50
	Voltage: 800 V	End Plate	OEP6DTS	15.50	17.10
	Current: 41 A	Shorting Link	OSL6R	30.00	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.00	-
	Torque: 1.5 Nm				


OAT10DTS			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	OAT10DTS	115.00	126.50
	Voltage: 1000 V	End Plate	OEP10DTS	17.50	19.30
	Current: 57 A	Shorting Link	OSLD10	60.00	-
	Wire Size: 6 mm ²	Marker	LabelKN12	12.00 (5 labels)	-
	Torque: 2 Nm				

Disconnecting Terminals (Knife Edge Type)

KULTD4			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KULTD4	42.00	46.20
	Voltage: 800 V	End Plate	KPSD4	11.00	12.10
	Current: 20 A	Shorting Link	SLC4N	18.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.6 Nm				

KULTD4WS (Spring Loaded)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KULTD4WS	85.00	93.50
	Voltage: 800 V	End Plate	KPSD4	11.00	12.10
	Current: 20 A	Shorting Link	SLC4N	18.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.6 Nm				


KUDT4-2X2			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUDT4-2X2	78.00	85.80
	Voltage: 800 V	End Plate	KPMD4	16.50	18.20
	Current: 17.5 A	Shorting Link	SLC4N	18.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


KUDT6			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUDT6	70.00	77.00
	Voltage: 800 V	End Plate	KPSD4	11.00	12.10
	Current: 32 A	Shorting Link	KSLD6	23.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 0.8 Nm				


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Plug & Socket Terminal


PS8M* (2W to 8W)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	PS8M (2 Way)	100.00	110.00
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	10.00	-

PAT100			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 100 A Wire Size: 25 mm² Torque: 3 Nm</p>	Terminal	PAT100	120.00	132.00
	End Plate	EPA100	18.00	19.80
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-


PAT250			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 250 A Wire Size: 95 mm² Torque: 10 Nm</p>	Terminal	PAT250	290.00	319.00
	End Plate	EPA100	18.00	19.80
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-


Power Terminals (Panel Mounted)


PAT30			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	PAT 30	30.00	33.00
	End Plate	EPA30	12.50	13.80
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-


PAT150			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 150 A Wire Size: 50 mm² Torque: 6 Nm</p>	Terminal	PAT150	190.00	209.00
	End Plate	EPA100	18.00	19.80
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-


Power Terminals


KBT100			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 2.5 Nm</p>	Terminal	KBT100	75.00	82.50
	End Plate	KPS100	13.50	14.90
	Partition Plate	KBXF	19.00	20.90
	Marker	LabelKN6.5	10.00	-


DPBB50CN			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm² Torque: 3 Nm</p>	Terminal	DPBB50CN	158.00	173.80
	Barrier Plate	BPN70	35.00	38.50
	Marker	LabelKN10	12.00	-


DPBB70CN			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm² Torque: 3 Nm</p>	Terminal	DPBB70CN	228.00	250.80
	Barrier Plate	BPN70	35.00	38.50
	Marker	LabelKN10	12.00	-

DPBB120CN			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm² Torque: 6 Nm</p>	Terminal	DPBB120CN	350.00	385.00
	Barrier Plate	BPN120	40.00	44.00
	Marker	LabelKN10	12.00	-

DPBB50			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm² Torque: 3 Nm</p>	Terminal	DPBB50	152.00	167.20
	Barrier Plate	BPN70	35.00	38.50
	Marker	LabelKN10	12.00	-

DPBB70			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm² Torque: 3 Nm</p>	Terminal	DPBB70	220.00	242.00
	Barrier Plate	BPN70	35.00	38.50
	Marker	LabelKN10	12.00	-


DPBB120			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm² Torque: 6 Nm</p>	Terminal	DPBB120	340.00	374.00
	Barrier Plate	BPN120	40.00	44.00
	Marker	LabelKN10	12.00	-

DPBB185N			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm² Torque: 14 Nm</p>	Terminal	DPBB185N	700.00	770.00
	Barrier Plate	BPA185/240	55.00	60.50
	Marker	LabelKN10	12.00	-


All Shorting Link Prices are for 2 Way Shorting.
* PS8M-4 Way to 8 Way Prices are shown on page 26


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DPBB240			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm ² Torque: 25 Nm	Terminal	DPBB240	800.00	880.00
	Barrier Plate	BPA185/240	55.00	60.50
	Marker	LabelKN10	12.00	-


Power Terminals (Finger Safe)


SPT35 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 140 A Wire Size: 35 mm ² Torque: 3 Nm	Terminal	SPT35	240.00	264.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.00(5 labels)	-


SPT70 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 6 Nm	Terminal	SPT70	375.00	412.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.00(5 labels)	-


SPT95 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 232 A Wire Size: 95 mm ² Torque: 6 Nm	Terminal	SPT95	420.00	462.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.00(5 labels)	-

SPT120 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 10 Nm	Terminal	SPT120	580.00	638.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.00(5 labels)	-


SPT150 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 320 A Wire Size: 150 mm ² Torque: 10 Nm	Terminal	SPT150	630.00	693.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.00(5 labels)	-


SPT185 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm ² Torque: 14 Nm	Terminal	SPT185	950.00	1045.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.00(5 labels)	-


SPT240 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm ² Torque: 14 Nm	Terminal	SPT240	1050.00	1155.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.00(5 labels)	-


SPT300 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 520 A Wire Size: 300 mm ² Torque: 25 Nm	Terminal	SPT300	1210.00	1331.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.00(5 labels)	-

Distribution Blocks

FDBK-1X2			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm	Distribution Block	FDBK-1X2	155.00	170.50
	Partition Plate	KBXF	19.00	20.90
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	10.00	-


FDBK-1X4			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm	Distribution Block	FDBK-1X4	182.00	200.20
	Partition Plate	KBXF	19.00	20.90
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.00	-


FDBK-1X8			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm	Distribution Block	FDBK-1X8	282.00	310.20
	Partition Plate	KBXF	19.00	20.90
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.00	-


FDBK3, FDBK4, FDBK8			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: IC-32A, OG-32A Wire Size: IC-4 mm ² OG-4 mm ² Torque: IC-0.5 Nm OG-0.5 Nm	Distribution Block	FDBK3	70.00	77.00
		FDBK4	92.00	101.20
		FDBK8	184.00	202.40
	Partition Plate	KBXF	19.00	20.90
	Shorting Link	Not Required	-	-
Marker	LabelKN6.5	10.00	-	


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DBK-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm² OG- 10 mm² Torque: IC-6Nm OG-1.2 Nm</p>	Distribution Block DBK-1X2	190.00	209.00
	Partition Plate KBXF	19.00	20.90
	Shorting Link	Not Required	-
	Marker LabelKN10	12.00	-


DBK-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm</p>	Distribution Block DBK-1X4	255.00	280.50
	Partition Plate KBXF	19.00	20.90
	Shorting Link	Not Required	-
	Marker LabelKN10	12.00	-


DBK-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm</p>	Distribution Block DBK-1X8	360.00	396.00
	Partition Plate KBXF	19.00	20.90
	Shorting Link	Not Required	-
	Marker LabelKN10	12.00	-


DFBK12		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 50 A Wire Size: 10/4 mm² Torque: 1.2/0.5 Nm</p>	Distribution Block DFBK12	270.00	297.00
	Partition Plate KBXF	19.00	20.90
	Shorting Link	Not Required	-
	Marker LabelKN 6.5/ LabelKN10	10.00/ 12.00	-


DBK3, DBK4, DBK5, DBK8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-57A, OG-57A Wire Size: IC-10 mm² OG-10 mm² Torque: IC-1.2 Nm OG-1.2 Nm</p>	Distribution Block DBK3	90.00	99.00
	DBK4	120.00	132.00
	DBK5	150.00	165.00
	DBK8	240.00	264.00
	Partition Plate KBXF	19.00	20.90
	Marker LabelKN10	12.00	-


DBK150/16-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block DBK150/16-1X2	660.00	726.00
	Partition Plate KBXF	19.00	20.90
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-


DBK150/16-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block DBK150/16-1X4	740.00	814.00
	Partition Plate KBZF	24.00	26.40
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-


DBK150/16-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block DBK150/16-1X8	900.00	990.00
	Partition Plate KBZF	24.00	26.40
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-


DBK150/25-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block DBK150/25-1X2	740.00	814.00
	Partition Plate KBZF	24.00	26.40
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-

DBK150/25-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block DBK150/25-1X4	850.00	935.00
	Partition Plate KBZF	24.00	26.40
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-


DBK150/25-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block DBK150/25-1X8	1080.00	1188.00
	Partition Plate KBZF	24.00	26.40
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-


DBK150/M6C-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block DBK150/M6C-1X2	900.00	990.00
	Partition Plate KBXF	19.00	20.90
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-

DBK150/M6C-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block DBK150/M6C-1X4	1020.00	1122.00
	Partition Plate KBXF	19.00	20.90
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-


DBK150/M6C-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block DBK150/M6C-1X8	1270.00	1397.00
	Partition Plate KBXF	19.00	20.90
	Shorting Link	Not Required	-
	Marker LabelKN12	12.00(5 labels)	-


Compact Distribution Blocks


DBD16		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm² OG- 6 mm², 16mm² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm</p>	Distribution Block	DBD16	315.00 346.50
	Partition Plate	KBXF	19.00 20.90
	Shorting Link	Not Required	- -
	Marker	LABELKN12	12.00(5 labels) -


DBD35		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm² OG- 10 mm², 16 mm² Torque: IC-4.5 Nm OG- 1.2 Nm</p>	Distribution Block	DBD35	450.00 495.00
	Partition Plate	KBXF	19.00 20.90
	Shorting Link	Not Required	- -
	Marker	LABELKN12	12.00(5 labels) -


Component Housing


KPCH 4* / KPCH 6*		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 20A/32A Wire Size: 4/6 mm² Torque: 0.6/0.8 Nm</p>	Terminal	KPCH4	80.00 88.00
		KPCH6	100.00 110.00
	End Plate	KPSD4	11.00 12.10
	Partition Plate	KBZF	24.00 26.40
	Marker	LabelKN5.5/8	9.50/11.00 -


KUDD4CC1 (Common Cathode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CC1	75.00 82.50
	End Plate	KPDD	11.50 12.70
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -


KUDD4CC2 (Common Cathode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CC2	75.00 82.50
	End Plate	KPDD	11.50 12.70
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -


KUDD4CA1 (Common Anode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CA1	75.00 82.50
	End Plate	KPDD	11.50 12.70
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -


KUDD4CA2 (Common Anode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CA2	75.00 82.50
	End Plate	KPDD	11.50 12.70
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -


KUDD4D1 (One Diode)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4D1	75.00 82.50
	End Plate	KPDD	11.50 12.70
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -


KUDD4R (One Resistor)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4R	75.00 82.50
	End Plate	KPDD	11.50 12.70
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

KUDD4MOV (with MOV)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4MOV	100.00 110.00
	End Plate	KPDD	11.50 12.70
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

CH4 / CH6		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Adapter	CH4	40.00 44.00
		CH6	55.00 60.50
	Marker	LabelKN5.5	9.50 -

CH4D1 / CH6D1		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Adapter	CH4D1	50.00 55.00
		CH6D1	110.00 121.00
	Marker	LabelKN5.5	9.50 -

CH4R1 / CH6R1		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Adapter	CH4R1	50.00 55.00
		CH6R1	110.00 121.00
	Marker	LabelKN5.5	9.50 -


CH4MOV1 / CH6MOV1		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Adapter	CH4MOV1	55.00 60.50
		CH6MOV1	115.00 126.50
	Marker	LabelKN5.5	9.50 -


All Shorting Link Prices are for 2 Way Shorting.
* Also available with diode, resistor and MOV.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Micro Terminals (15mm Rail Mounted)

SUT1.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SUT1.5	20.00	22.00
	Voltage: 320 V	End Plate	ES2	12.00	13.20
	Current: 18 A	Shorting Link	CCLA1.5	25.00	-
	Wire Size: 1.5 mm ²	Marker	LabelKN5	11.00	-
	Torque: 0.4 Nm				


SUT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SUT4	10.50	11.55
	Voltage: 500 V	End Plate	ES4	6.50	7.20
	Current: 32 A	Shorting Link	CCLADD	14.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


CET4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CET4	20.00	22.00
	Voltage: 500 V	End Plate	EPM	13.00	14.30
	Current: 32 A	Shorting Link	SLE	20.00	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	9.00	-
	Torque: 0.5 Nm				


MBT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	MBT4	25.00	27.50
	Voltage: 630 V	End Plate	MP1	13.00	14.30
	Current: 30 A	Shorting Link	SLU4	24.00	-
	Wire Size: 2.5 mm ²	Marker	LabelU6	18.00	-
	Torque: 0.5 Nm				

SET4 (Earthing)				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	SET4	55.00	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	9.50	-


Micro Terminals (Panel Mounted)


PET4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PET4	13.20	14.50
	Voltage: 500 V	End Plate	EPP	8.00	8.80
	Current: 32 A	Shorting Link	CCLADD	14.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				


PBTM3				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM3	9.00	-
	Voltage: 250 V	End Plate	EPBM4	7.00	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 0.5 Nm				


PBTM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM4	10.00	-
	Voltage: 250 V	End Plate	EPBM4	7.00	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 1.2 Nm				

Spring Clamp Terminals - Feed Through (35mm Rail Mounted)

DST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5	11.80	13.00
	Voltage: 800 V	End Plate	DSEP2.5	6.00	6.60
	Current: 24 A	Shorting Link	SSL2.5	10.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.00	-

DST4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4	20.20	22.20
	Voltage: 800 V	End Plate	DSEP4	7.50	8.30
	Current: 32 A	Shorting Link	SSL4	17.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-


DST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6	39.00	42.90
	Voltage: 800 V	End Plate	DSEP6	8.90	9.80
	Current: 41 A	Shorting Link	SSL6	25.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-


DST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10	75.00	82.50
	Voltage: 800 V	End Plate	DSEP10	9.50	10.50
	Current: 57 A	Shorting Link	SSL10	38.00	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.00	-


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DST16				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm²</p>	Terminal	DST16	99.00	108.90	
	End Plate	DSEP16	15.00	16.50	
	Shorting Link	SSL16	60.00	-	
	Marker	LabelKN12	12.00 ^(5 labels)	-	


DST35				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 125 A Wire Size: 35 mm²</p>	Terminal	DST35	360.00	396.00	
	End Plate	Not Required	-	-	
	Shorting Link	SSL35	78.00	-	
	Marker	LabelKN17	13.00 ^(5 labels)	-	


DST2.5-1X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm²</p>	Terminal	DST2.5-1X2	27.00	29.70	
	End Plate	DSMP2.5-1x2	7.50	8.30	
	Shorting Link	SSL2.5	10.00	-	
	Marker	LabelKN5	11.00	-	


DST2.5-2X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 24 A Wire Size: 2.5 mm²</p>	Terminal	DST2.5-2X2	29.00	31.90	
	End Plate	DSMP2.5-2X2	8.00	8.80	
	Shorting Link	SSL2.5	10.00	-	
	Marker	LabelKN5	11.00	-	


DST4-1X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm²</p>	Terminal	DST4-1X2	37.00	40.70	
	End Plate	DSMP4-1X2	9.30	10.20	
	Shorting Link	SSL4	17.50	-	
	Marker	LabelKN5.5	9.50	-	


DST4-2X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm²</p>	Terminal	DST4-2X2	43.00	47.30	
	End Plate	DSMP4-2X2	11.50	12.70	
	Shorting Link	SSL4	17.50	-	
	Marker	LabelKN5.5	9.50	-	


DST6-1X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm²</p>	Terminal	DST6-1X2	85.00	93.50	
	End Plate	DSMP6-1X2	11.50	12.70	
	Shorting Link	SSL6	25.00	-	
	Marker	LabelKN8	11.00	-	


DST10-1X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm²</p>	Terminal	DST10-1X2	130.00	143.00	
	End Plate	DSMP10-1X2	11.80	13.00	
	Shorting Link	SSL10	38.00	-	
	Marker	LabelKN10	12.00	-	


DST16-1X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 76 A Wire Size: 16 mm²</p>	Terminal	DST16-1X2	165.00	181.50	
	End Plate	DSMP16-1X2	13.00	14.30	
	Shorting Link	SSL16	60.00	-	
	Marker	LabelKN12	12.00 ^(5 labels)	-	


DST2.5-2C1P				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 16 A Wire Size: 2.5 mm²</p>	Terminal	DST2.5-2C1P	80.00	88.00	
	End Plate	DSMP2.5-2C1P	12.50	13.80	
	Shorting Link	SSL2.5	10.00	-	
	Marker	LabelKN5	11.00	-	


DST2.5-2C2P				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 16 A Wire Size: 2.5 mm²</p>	Terminal	DST2.5-2C2P	85.00	93.50	
	End Plate	DSMP2.5-2C2P	15.00	16.50	
	Shorting Link	SSL2.5	10.00	-	
	Marker	LabelKN5	11.00	-	

DST2.5-2C1PP			Std. Colour	Non Std. Colour
	DST2.5C1PP - 1 Way	32.00	-	
	Compatible with terminal blocks DST 2.5 - 2C1P & DST 2.5 - 2C2P			


SCT2.5 (Side Entry)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm²</p>	Terminal	SCT2.5	11.60	12.80	
	End Plate	SEP2.5	5.30	5.80	
	Shorting Link	SSL2.5	10.00	-	
	Marker	LabelKN5	11.00	-	


SCT4 (Side Entry)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm²</p>	Terminal	SCT4	18.20	20.00	
	End Plate	SEP4	5.80	6.40	
	Shorting Link	SSL4	17.50	-	
	Marker	LabelKN5.5	9.50	-	


SCT6 (Side Entry)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm²</p>	Terminal	SCT6	49.00	53.90	
	End Plate	SEP6	8.00	8.80	
	Shorting Link	SSL6	25.00	-	
	Marker	LabelKN8	11.00	-	

SCT10 (Side Entry)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm²</p>	Terminal	SCT10	55.00	60.50	
	End Plate	SEP10	9.00	9.90	
	Shorting Link	SSL10	38.00	-	
	Marker	LabelKN10	12.00	-	


Spring Clamp Terminals - Multi Level


DSDD2.5			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DSDD2.5	33.00	36.30
	Voltage: 800 V	End Plate	DPDD2.5	11.00	12.10
	Current: 24 A	Shorting Link	SSL4	17.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-


DS3L2.5			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DS3L2.5	105.00	115.50
	Voltage: 500 V	End Plate	DSEP3	30.00	33.00
	Current: 20 A	Shorting Link	SSL4	17.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-

DS8LP16 / P32			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DS8LP16	On Request	On Request
	Voltage: 250 V		DS8LP32	On Request	On Request
	Current: 10 A	End Plate	DSEP8	On Request	On Request
	Wire Size: 1.5 mm ²	Marker	LabelKN8	11.00	-


Spring Clamp Terminals - Fuse


DCF4			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DCF4	68.00	74.80
	Voltage: 800 V	End Plate	DFEP	12.50	13.80
	Current: 10 A	Shorting Link	SSL4	17.50	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.00	-

DCF4* / 4A** (With LED Indication)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DCF4D	90.00	99.00
	Voltage: 800 V		DCF4A	90.00	99.00
	Current: 10 A	End Plate	DFEP	12.50	13.80
	Wire Size: 4 mm ²	Shorting Link	SSL4	17.50	-
		Marker	LabelKN8	11.00	-


SCF6			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	SCF6	230.00	253.00
	Voltage: 800 V	End Plate	SFEP6	10.50	11.60
	Current: 10 A	Shorting Link	SSL6	25.00	-
	Wire Size: 6 mm ²	Marker	LabelKN12	12.00(5 labels)	-


Spring Clamp Terminals - Test Disconnect

DSDT2.5			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DSDT2.5	48.00	52.80
	Voltage: 1000 V	End Plate	DPDT2.5	9.00	9.90
	Current: 17.5 A	Shorting Link	SSL2.5	10.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.00	-


DSDT2.5-2X2			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DSDT2.5-2X2	50.00	55.00
	Voltage: 1000 V	End Plate	DPMDT2.5	11.50	12.70
	Current: 17.5 A	Shorting Link	Not Required	-	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.00	-


Spring Clamp Distribution Blocks

DTB35-10			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DTB35-10	200.00	220.00
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SLC17.5	55.00	-
	Wire Size: IC-35 mm ²	Marker	LabelKN17	13.00(5 labels)	-
	OG - 10 mm ²				

DTB35-10X4			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	DTB35-10X4	230.00	253.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	Not Required	-	-
	Wire Size: IC-35 mm ²	Marker	LabelKN12	12.00(5 labels)	-
	OG - 10 mm ²				

Spring Clamp Terminals - Earthing Type


DSET2.5			Std. Colour	Non Std. Colour	
	IEC 60947-7-2	Terminal	DSET2.5	77.00	-
	Wire Size: 2.5 mm ²	End Plate	DSEP2.5(Gr)	6.60	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.00	-


DSET4			Std. Colour	Non Std. Colour	
	IEC 60947-7-2	Terminal	DSET4	78.00	-
	Wire Size: 4 mm ²	End Plate	DSEP4(Gr)	8.30	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	9.50	-


*D1 - 24 VDC, D2 - 48 VDC, D3 - 110 VDC, D4 - 220 VDC, D5 - 12 VDC /**A1 - 110 VAC, A2 - 220 VAC


All Shorting Link Prices are for 2 Way Shorting.

Spring Clamp Terminals - Earthing Type


DSET6			Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 6 mm ²	Terminal	DSET6	150.00	-
	End Plate	DSEP6(Gr)	9.80	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-


DSET10			Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 10 mm ²	Terminal	DSET10	195.00	-
	End Plate	DSEP10(Gr)	10.50	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.00	-

DSET2.5-1X2			Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET2.5-1X2	115.00	-
	End Plate	DSMP2.5-1X2(Gr)	8.30	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5	11.00	-


DSET2.5-2X2			Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET2.5-2X2	118.00	-
	End Plate	DSMP2.5-2X2(Gr)	8.80	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5	11.00	-


Spring Clamp Micro Terminals - (15mm Rail Mounted)


MCT2.5MC			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5MC	20.00	22.00
	End Plate	MEP2.5MC	6.30	6.90
	Shorting Link	MSL2.5	14.50	-
	Marker	LabelKN5.5	9.50	-


SCT2.5MC			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	SCT2.5MC	16.00	17.60
	End Plate	SEP2.5	5.30	5.80
	Shorting Link	SSL2.5	10.00	-
	Marker	LabelKN5	11.00	-


Spring Clamp Micro Terminals - Panel Mounted

MCT1.5			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 17.5 A Wire Size: 1.5 mm ²	Terminal	MCT1.5	7.50	8.25
	End Plate	MEP1.5	3.80	4.20
	Shorting Link	MSL1.5	14.00	-


MCT2.5			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5	8.70	9.60
	End Plate	MEP2.5	4.10	4.50
	Shorting Link	MSL2.5	14.50	-
	Marker	LabelKN5.5	9.50	-

MCT2.5P4			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5P4	16.00	17.60
	End Plate	MEP2.5	4.10	4.50
	Shorting Link	MSL2.5	14.50	-
	Marker	LabelKN10	12.00	-


MCT4			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT4	14.00	15.40
	End Plate	MEP4	7.50	8.30
	Shorting Link	MSL4	19.00	-
	Marker	LabelKN6.5	10.00	-


MCT4P4			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT4P4	25.50	28.10
	End Plate	MEP4	7.50	8.30
	Shorting Link	MSL4	19.00	-
	Marker	LabelKN12	12.00 ^(5 labels)	-

Spring Clamp Terminal (Din Rail Mounted)


DMCT2.5P4			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	DMCT2.5P4	26.00	-
	End Plate	DMEP2.5P4	10.00	-
	Shorting Link	MSL2.5	14.50	-
	Marker	LabelKN10	12.00	-


Plug & Socket Terminals


DPSC5.08 (Wire to Wire)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm²</p>	Terminal DPSC5.08WW(2Way)	90.00	-
	DPSC5.08WW(3Way)	135.00	-
	DPSC5.08WW(4Way)	180.00	-
	DPSC5.08WW(5Way)	225.00	-
	DPSC5.08WW(6Way)	270.00	-
	DPSC5.08WW(8Way)	360.00	-


DPSC5.08 (Panel Mounted)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm²</p>	Terminal DPSC5.08PM(2Way)	100.00	-
	DPSC5.08PM(3Way)	150.00	-
	DPSC5.08PM(4Way)	200.00	-
	DPSC5.08PM(5Way)	250.00	-
	DPSC5.08PM(6Way)	300.00	-
	DPSC5.08PM(8Way)	400.00	-

Lighting Pole Terminals


LPT225		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm²</p>	Terminal LPT225	80.00	88.00
	End Plate Not Required	-	-
	Shorting Link Not Required	-	-
	Marker LabelKN10	12.00	-


LPT235		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm²</p>	Terminal LPT235	190.00	209.00
	End Plate Not Required	-	-
	Shorting Link Not Required	-	-
	Marker LabelKN12	12.00(5 labels)	-


LPT325		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm²</p>	Terminal LPT325	123.00	135.30
	End Plate Not Required	-	-
	Shorting Link Not Required	-	-
	Marker LabelKN10	12.00	-

LPT335		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm²</p>	Terminal LPT335	255.00	280.50
	End Plate Not Required	-	-
	Shorting Link Not Required	-	-
	Marker LabelKN12	12.00(5 labels)	-


Neutral Links

KNL4		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal KNL4	14.50
	Bus-Bar (6 mm x 6 mm) KNLB6	1100.00
	Bus-Bar (10 mm x 3 mm) KNLB10	1020.00
	End Support (Panel Mounted) KNLSUP	15.00
	End Support (Rail Mounted) SCNL	28.00
	Marker LabelKN6.5	10.00

KNL16		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal KNL16	19.00
	Bus-Bar (6 mm x 6 mm) KNLB6	1100.00
	Bus-Bar (10 mm x 3 mm) KNLB10	1020.00
	End Support (Panel Mounted) KNLSUP	15.00
	End Support (Rail Mounted) SCNL	28.00
	Marker LabelKN8	11.00


KNL35		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 3 Nm</p>	Terminal KNL35	34.00
	Bus-Bar (6 mm x 6 mm) KNLB6	1100.00
	Bus-Bar (10 mm x 3 mm) KNLB10	1020.00
	End Support (Panel Mounted) KNLSUP	15.00
	End Support (Rail Mounted) SCNL	28.00
	Marker LabelKN10	12.00


PCB Connectors


PUT2.5 (7.5 mm Pitch)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 15 A Wire Size: 0.5-2.5 mm² Torque: 0.5 Nm</p>	Terminal PUT2.5	15.00	16.50
	End Plate -	-	-
	Shorting Link -	-	-
	Marker LabelKN7.5	18.00	-


Price List for DIN Rail Mounted Terminals : Melamine


Feed Through Terminals


CST2.5		Std. Colour	Non Std. Colour
	Terminal	CST2.5	16.00
	End Plate	EPX	7.50
	Shorting Link	CCLA2.5	16.50
	Marker	LabelKN6.5	10.00
IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm			

CST6		Std. Colour	Non Std. Colour
	Terminal	CST6	18.50
	End Plate	EPX	7.50
	Shorting Link	CCLA6	16.50
	Marker	LabelKN8	11.00
IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm			


CST10		Std. Colour	Non Std. Colour
	Terminal	CST10	25.00
	End Plate	EPX	7.50
	Shorting Link	CCLA10	18.00
	Marker	LabelKN10	12.00
IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm			


CST16		Std. Colour	Non Std. Colour
	Terminal	CST16	40.00
	End Plate	EPY	14.50
	Shorting Link	CCLA16	21.00
	Marker	LabelKN10	12.00
IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 1.2 Nm			


CST25		Std. Colour	Non Std. Colour
	Terminal	CST25	55.00
	End Plate	EPT	15.00
	Shorting Link	CCLA25	23.50
	Marker	LabelKN12	12.00 (5 labels)
IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 1.2 Nm			

CST35		Std. Colour	Non Std. Colour
	Terminal	CST35	100.00
	End Plate	EPZ	16.00
	Shorting Link	CCLA35	28.00
	Marker	LabelKN17	13.00 (5 labels)
IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 4 Nm			


Spring Loaded Terminals


CST2.5WS		Std. Colour	Non Std. Colour
	Terminal	CST2.5WS	31.00
	End Plate	EPX	7.50
	Shorting Link	CCLA2.5	16.50
	Marker	LabelKN6.5	10.00
IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm			


CST6WS		Std. Colour	Non Std. Colour
	Terminal	CST6WS	52.00
	End Plate	EPX	7.50
	Shorting Link	CCLA6	16.50
	Marker	LabelKN6.5	10.00
IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm			

CSLT1		Std. Colour	Non Std. Colour
	Terminal	CSLT1	55.00
	End Plate	EPSL	13.00
	Shorting Link	CCLA1L	24.00
	Marker	LabelKN10	12.00
IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm			

Stud Type Terminals (Screw Driver Operated)

CATM3*		Std. Colour	Non Std. Colour
	Terminal	CATM3	38.00
	End Plate	EPS4NV	10.00
	Shorting Link	ASL1	27.00
	Marker	LabelKN6.5	10.00
IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm			

CATM4*		Std. Colour	Non Std. Colour
	Terminal	CATM4	45.00
	End Plate	EPS4NV	10.00
	Shorting Link	ADSL	25.00
	Marker	LabelKN8	11.00
IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm			

CATM5*		Std. Colour	Non Std. Colour
	Terminal	CATM5	60.00
	End Plate	EPS4NV	10.00
	Shorting Link	ADSL	25.00
	Marker	LabelKN8	11.00
IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm			


* Suitable for 1100V AC applications.


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine




Stud Type Terminals (Nut Driver Operated)


CBTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CBTM4	46.00	50.60
		End Plate	EPS4NV	10.00	11.00
		Shorting Link	KSL5	26.00	-
		Marker	LabelKN6.5	10.00	-

CBTM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CBTM5	60.00	66.00
		End Plate	EPS4NV	10.00	11.00
		Shorting Link	KSL5	26.00	-
		Marker	LabelKN6.5	10.00	-


CBTM6*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 25 mm ² Torque: 2.5 Nm	Terminal	CBTM6	80.00	88.00
		End Plate	EPS4NV	10.00	11.00
		Shorting Link	BSL6	28.00	-
		Marker	LabelKN8	11.00	-

CBTM6S1*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBTM6S1	120.00	132.00
		End Plate	EPS5/6	14.50	16.00
		Shorting Link	Not Available	-	-
		Marker	LabelKN8	11.00	-


Stud Type Terminals (Screw & Nut Driver Operated)


CABTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CABTM4	47.00	51.70
		End Plate	EPS4NV	10.00	11.00
		Shorting Link	ADSL	25.00	-
		Marker	LabelKN8	11.00	-

Plug & Socket Terminal


PSC1/5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 600 V Current: 25 A Per Contact Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	PSC1/5	350.00	385.00
		End Plate	Not Required	-	-
		Shorting Link	Not Available	-	-
		Marker	Not Required	-	-


Test - Disconnect Terminals


CATDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 1.2 Nm	Terminal	CATDM4	80.00	88.00
		End Plate	EPD4	16.00	17.60
		Shorting Link	ADSL	25.00	-
		Marker	LabelKN5.5	9.50	-


CLTDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 45 A Wire Size: 6 mm ² Torque: 1.2 Nm	Terminal	CLTDM4	75.00	82.50
		End Plate	EPLD4	16.00	17.60
		Shorting Link	ADSL	25.00	-
		Marker	LabelKN5.5	9.50	-


Power Terminals

CBT100				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBT100	110.00	121.00
		End Plate	EPS5/6	14.50	16.00
		Shorting Link	Not Available	-	-
		Marker	LabelKN8	11.00	-

CBT110				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 30-35 mm ² Torque: 3 Nm	Terminal	CBT110	180.00	198.00
		Barrier Plate	BPA110	38.00	41.80
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

CBT170				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm	Terminal	CBT170	295.00	324.50
		Barrier Plate	BPA17/25	42.00	46.20
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

CBT250				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm	Terminal	CBT250	345.00	379.50
		Barrier Plate	BPA17/25	42.00	46.20
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-


CBT300				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm ² Torque: 10 Nm	Terminal	CBT300	410.00	451.00
		Barrier Plate	BPA17/25	42.00	46.20
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-


* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine




Power Terminals (With Tapped Current Bar)

CBT110T			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 35-50 mm² Torque: 3 Nm</p>	Terminal	CBT110T	185.00	203.50
	Barrier Plate	BPA110	38.00	41.80
	Shorting Link	Not Available	-	-
	Marker	LabelKN10	12.00	-

CBT170T			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm² Torque: 6 Nm</p>	Terminal	CBT170T	320.00	352.00
	Barrier Plate	BPA17/25	42.00	46.20
	Shorting Link	Not Available	-	-
	Marker	LabelKN10	12.00	-

CBT250T			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm² Torque: 10 Nm</p>	Terminal	CBT250T	360.00	396.00
	Barrier Plate	BPA17/25	42.00	46.20
	Shorting Link	Not Available	-	-
	Marker	LabelKN10	12.00	-

CBT300T			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm² Torque: 10 Nm</p>	Terminal	CBT300T	510.00	561.00
	Barrier Plate	BPA17/25	42.00	46.20
	Shorting Link	Not Available	-	-
	Marker	LabelKN10	12.00	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for Terminals: Polyamide 6.6

PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
Suitable For Feed Through Terminals				
KUTM2.5	Elmex Electric	100	10.00	11.00
KUT2.5	Elmex Electric	100	9.70	10.70
KUT4	Elmex Electric	100	12.00	13.20
KST4UWS	Elmex Electric	100	35.00	38.50
KUT6	Elmex Electric	100	17.10	18.80
KST6WS	Elmex Electric	100	45.00	49.50
KUT10	Elmex Electric	100	21.70	23.90
KUT16	Elmex Electric	100	38.00	41.80
KUT25	Elmex Electric	100	60.50	66.60
KUT35	Elmex Electric	50	85.00	93.50
KUT50	Elmex Electric	10	250.00	275.00
KUT95	Elmex Electric	10	400.00	440.00
KUT4-1X2	Elmex Electric	100	28.00	30.80
KUT4-2X2	Elmex Electric	100	39.00	42.90
Suitable For Spring Loaded Terminals				
KULT4	Elmex Electric	100	33.00	36.30
KULT6	Elmex Electric	100	35.00	38.50
KULT1	Elmex Electric	100	45.00	49.50
Suitable For Earth Terminals				
ET4	Elmex Electric	100	81.00	-
ET6	Elmex Electric	50	92.00	-
ET10	Elmex Electric	50	114.00	-
ET16	Elmex Electric	50	127.00	-
ET35	Elmex Electric	20	275.00	-
ET50	Elmex Electric	20	700.00	-
Suitable For Thermocouple Terminals				
KUT4NTCK	Elmex Electric	50	85.00	93.50
KUT4NTCJ	Elmex Electric	50	115.00	126.50
KUT4NTCT	Elmex Electric	50	115.00	126.50
KUT4NTCE	Elmex Electric	50	115.00	126.50
Suitable For Double Deck Terminals				
KU2D4	Elmex Electric	100	30.50	33.60
KU2D4S	Elmex Electric	100	42.00	46.20
KUDD4	Elmex Electric	100	34.50	38.00
Suitable For Triple Deck Terminals				
DU3D4	Elmex Electric	100	80.00	88.00
DUSD4	Elmex Electric	100	50.00	55.00
Suitable For Photovoltaic Terminals				
KUT2.5N	Elmex Electric	100	11.70	12.90
KUT4N	Elmex Electric	100	13.90	15.30
KUT6N	Elmex Electric	100	18.10	19.90
KUT10N	Elmex Electric	100	24.00	26.40
KUDD4N	Elmex Electric	100	52.00	57.20
Suitable For Earth Terminals (N - Series)				
ETN4	Elmex Electric	100	80.00	-
ETN6	Elmex Electric	100	93.00	-
ETN10	Elmex Electric	100	110.00	-
ETDD4N	Elmex Electric	100	135.00	-
Suitable For Stud Type Terminals				
KATM3	Elmex Electric	100	40.00	44.00
KATM3C	Elmex Electric	50	48.00	52.80
KATM4	Elmex Electric	50	50.00	55.00
KATM4C	Elmex Electric	50	54.00	59.40
KATM5	Elmex Electric	50	60.00	66.00
KATM5C	Elmex Electric	50	65.00	71.50
KABTM3L	Elmex Electric	50	33.00	36.30
KABTM3LC	Elmex Electric	50	41.00	45.10
KABTM4	Elmex Electric	50	43.00	47.30
KABTM4C	Elmex Electric	50	47.00	51.70
KABTM5	Elmex Electric	50	48.00	52.80
KABTM5C	Elmex Electric	50	54.00	59.40
KATM3E	Elmex Electric	50	25.00	27.50
KATM4E	Elmex Electric	50	28.50	31.35
KBTM4	Elmex Electric	50	45.00	49.50
KBTM4C	Elmex Electric	50	56.00	61.60
KBTM5-15	Elmex Electric	50	54.00	59.40
KBTM5-15C	Elmex Electric	50	65.00	71.50
KBTM6	Elmex Electric	50	70.00	77.00
KBTM6C	Elmex Electric	50	80.00	88.00
KBTM4E	Elmex Electric	50	33.00	36.30
KBTM5E	Elmex Electric	50	37.50	41.30
KBTM6E	Elmex Electric	50	60.00	66.00
OAT2.5	Elmex Electric	50	43.00	47.30

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
OAT6	Elmex Electric	50	52.00	57.20
OAT25	Elmex Electric	50	125.00	137.50
Suitable For Fuse Terminals				
KUDF4NV	Elmex Electric	100	43.00	47.30
KUDF4AD	Elmex Electric	100	63.00	69.30
KUFH4	Elmex Electric	100	90.00	99.00
KUFH4D	Elmex Electric	100	110.00	121.00
KUFH4A	Elmex Electric	100	111.00	122.10
UBDF4	Elmex Electric	50	65.00	71.50
UBDF4D	Elmex Electric	50	72.00	79.20
UBDF4A	Elmex Electric	50	75.00	82.50
LED Kit (For UBDF4)	Elmex Electric	100	30.00	-
KUF10	Elmex Electric	100	116.00	127.60
KUF10D	Elmex Electric	100	133.00	146.30
KUF10A	Elmex Electric	100	138.00	151.80
Suitable For Fuse Feed Through Terminals				
KUDDF4	Elmex Electric	100	101.00	111.10
KUDDF4AD	Elmex Electric	100	115.00	126.50
Suitable For Plug and Socket				
PS8M - 2 Way	Elmex Electric	20	100.00	110.00
PS8M - 4 Way	Elmex Electric	20	200.00	220.00
PS8M - 5 Way	Elmex Electric	20	250.00	275.00
PS8M - 6 Way	Elmex Electric	20	300.00	330.00
PS8M - 8 Way	Elmex Electric	20	400.00	440.00
Suitable For Disconnecting Terminals (Sliding Link Type)				
KLTD4NV	Elmex Electric	50	64.00	70.40
KLTD4-2W	Elmex Electric	25	157.00	172.70
KUTSD6	Elmex Electric	50	65.00	71.50
KUTD10	Elmex Electric	50	95.00	104.50
KULTD6	Elmex Electric	50	120.00	132.00
OAT6T	Elmex Electric	50	75.00	82.50
OAT6DTS	Elmex Electric	40	85.00	93.50
OAT6DTS - 2Way	Elmex Electric	20	175.00	192.50
OAT10DTS	Elmex Electric	50	115.00	126.50
Suitable For Disconnecting Terminals (Knife Edge Type)				
KULTD4	Elmex Electric	100	42.00	46.20
KULTD4WS	Elmex Electric	100	85.00	93.50
KUDT4-2X2	Elmex Electric	100	78.00	85.80
KUDT6	Elmex Electric	100	70.00	77.00
Suitable For Power Terminals				
PAT30	Elmex Electric	100	30.00	33.00
PAT100	Elmex Electric	25	120.00	132.00
PAT150	Elmex Electric	10	190.00	209.00
PAT250	Elmex Electric	10	290.00	319.00
KBT100	Elmex Electric	25	75.00	82.50
DPBB50	Elmex Electric	10	152.00	167.20
DPBB50CN	Elmex Electric	10	158.00	173.80
DPBB70	Elmex Electric	10	220.00	242.00
DPBB70CN	Elmex Electric	10	228.00	250.80
DPBB120	Elmex Electric	10	340.00	374.00
DPBB120CN	Elmex Electric	10	350.00	385.00
DPBB185N	Elmex Electric	10	700.00	770.00
DPBB240	Elmex Electric	10	800.00	880.00
SPT35	Elmex Electric	10	240.00	264.00
SPT70	Elmex Electric	10	375.00	412.00
SPT95	Elmex Electric	10	420.00	462.00
SPT120	Elmex Electric	10	580.00	638.00
SPT150	Elmex Electric	10	630.00	693.00
SPT185	Elmex Electric	10	950.00	1045.00
SPT240	Elmex Electric	10	1050.00	1155.00
SPT300	Elmex Electric	10	1210.00	1331.00
Suitable For Distribution Blocks				
FDBK-1X2	Elmex Electric	10	155.00	170.50
FDBK-1X4	Elmex Electric	10	182.00	200.20
FDBK-1X8	Elmex Electric	10	282.00	310.20
FDBK3	Elmex Electric	10	70.00	77.00
FDBK4	Elmex Electric	10	92.00	101.20
FDBK8	Elmex Electric	10	184.00	202.40
DBK-1X2	Elmex Electric	10	190.00	209.00
DBK-1X4	Elmex Electric	10	255.00	280.50

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DBK-1X8	Elmex Electric	10	360.00	396.00
DFBK12	Elmex Electric	10	270.00	297.00
DBK3	Elmex Electric	10	90.00	99.00
DBK4	Elmex Electric	10	120.00	132.00
DBK5	Elmex Electric	10	150.00	165.00
DBK8	Elmex Electric	10	240.00	264.00
DBK150/16-1X2	Elmex Electric	10	660.00	726.00
DBK150/16-1X4	Elmex Electric	10	740.00	814.00
DBK150/16-1X8	Elmex Electric	10	900.00	990.00
DBK150/25-1X2	Elmex Electric	10	740.00	814.00
DBK150/25-1X4	Elmex Electric	10	850.00	935.00
DBK150/25-1X8	Elmex Electric	10	1080.00	1188.00
DBK150/M6C-1X2	Elmex Electric	10	900.00	990.00
DBK150/M6C-1X4	Elmex Electric	10	1020.00	1122.00
DBK150/M6C-1X8	Elmex Electric	10	1270.00	1397.00
DBD16	Elmex Electric	10	315.00	346.50
DBD35	Elmex Electric	10	450.00	495.00
Suitable For Component Housings				
KPCH4*	Elmex Electric	100	80.00	88.00
KPCH6*	Elmex Electric	100	100.00	110.00
KUDD4CC1	Elmex Electric	100	75.00	82.50
KUDD4CC2	Elmex Electric	100	75.00	82.50
KUDD4CA1	Elmex Electric	100	75.00	82.50
KUDD4CA2	Elmex Electric	100	75.00	82.50
KUDD4D1	Elmex Electric	100	75.00	82.50
KUDD4R	Elmex Electric	50	75.00	82.50
KUDD4MOV	Elmex Electric	50	100.00	110.00
CH4	Elmex Electric	50	40.00	44.00
CH6	Elmex Electric	50	55.00	60.50
CH4D1	Elmex Electric	50	50.00	55.00
CH6D1	Elmex Electric	50	110.00	121.00
CH4R1	Elmex Electric	50	50.00	55.00
CH6R1	Elmex Electric	50	110.00	121.00
CH4MOV1	Elmex Electric	50	55.00	60.50
CH6MOV1	Elmex Electric	50	115.00	126.50
Suitable For Micro Terminals				
SUT1.5	Elmex Electric	100	20.00	22.00
SUT4	Elmex Electric	100	10.50	11.55
CET4	Elmex Electric	100	20.00	22.00
MBT4	Elmex Electric	100	25.00	27.50
SET4	Elmex Electric	100	55.00	-
PET4	Elmex Electric	100	13.20	14.50
PBTM3	Elmex Electric	100	9.00	On Request
PBTM4	Elmex Electric	100	10.00	On Request
Suitable For Spring Clamp Terminals				
DST2.5	Elmex Electric	100	11.80	13.00
DST4	Elmex Electric	100	20.20	22.20
DST6	Elmex Electric	50	39.00	42.90
DST10	Elmex Electric	20	75.00	82.50
DST16	Elmex Electric	100	99.00	108.90
DST35	Elmex Electric	100	360.00	396.00
DST2.5-1X2	Elmex Electric	100	27.00	29.70
DST2.5-2X2	Elmex Electric	100	29.00	31.90
DST4-1X2	Elmex Electric	100	37.00	40.70
DST4-2X2	Elmex Electric	100	43.00	47.30
DST6-1X2	Elmex Electric	100	85.00	93.50
DST10-1X2	Elmex Electric	100	130.00	143.00
DST16-1X2	Elmex Electric	100	165.00	181.50
DST2.5-2C1P	Elmex Electric	100	80.00	88.00
DST2.5-2C2P	Elmex Electric	100	85.00	93.50
DST2.5C1PP - 1 Way	Elmex Electric	100	32.00	-
SCT2.5	Elmex Electric	100	11.60	12.80
SCT4	Elmex Electric	100	18.20	20.00
SCT6	Elmex Electric	100	49.00	53.90
SCT10	Elmex Electric	100	55.00	60.50
DSDD2.5	Elmex Electric	100	33.00	36.30
DS3L2.5	Elmex Electric	100	105.00	115.50
DS8LP16	Elmex Electric	100	On Request	On Request
DS8LP32	Elmex Electric	100	On Request	On Request
DCF4	Elmex Electric	100	68.00	74.80

Price List for Terminals: Polyamide 6.6, Melamine, Neutral Links, PCB Connectors



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6, MELAMINE, NEUTRAL LINKS, PCB CONNECTORS

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DCF4D	Elmex Electric	50	90.00	99.00
DCF4A	Elmex Electric	50	90.00	99.00
SCF6	Elmex Electric	50	230.00	253.00
DSDT2.5	Elmex Electric	100	48.00	52.80
DSDT2.5-2X2	Elmex Electric	100	50.00	55.00
DTB35-10	Elmex Electric	100	200.00	220.00
DTB35-10X4	Elmex Electric	100	230.00	253.00
DSET2.5	Elmex Electric	10	77.00	-
DSET4	Elmex Electric	10	78.00	-
DSET6	Elmex Electric	100	150.00	-
DSET10	Elmex Electric	100	195.00	-
DSET2.5-1X2	Elmex Electric	100	115.00	-
DSET2.5-2X2	Elmex Electric	100	118.00	-
MCT2.5MC	Elmex Electric	100	20.00	22.00
SCT2.5MC	Elmex Electric	100	16.00	17.60
MCT1.5	Elmex Electric	100	7.50	8.25
MCT2.5	Elmex Electric	100	8.70	9.60
MCT2.5P4	Elmex Electric	100	16.00	17.60
MCT4	Elmex Electric	100	14.00	15.40
MCT4P4	Elmex Electric	100	25.50	28.10
DMCT2.5P4	Elmex Electric	100	26.00	-
DPSC5.08WW (2 Way)	Elmex Electric	100	90.00	-
DPSC5.08WW (3 Way)	Elmex Electric	100	135.00	-
DPSC5.08WW (4 Way)	Elmex Electric	20	180.00	-
DPSC5.08WW (5 Way)	Elmex Electric	20	225.00	-
DPSC5.08WW (6 Way)	Elmex Electric	20	270.00	-
DPSC5.08WW (8 Way)	Elmex Electric	20	360.00	-
DPSC5.08PM (2 Way)	Elmex Electric	20	100.00	-
DPSC5.08PM (3 Way)	Elmex Electric	20	150.00	-
DPSC5.08PM (4 Way)	Elmex Electric	20	200.00	-
DPSC5.08PM (5 Way)	Elmex Electric	20	250.00	-
DPSC5.08PM (6 Way)	Elmex Electric	20	300.00	-
DPSC5.08PM (8 Way)	Elmex Electric	20	400.00	-
Suitable For Lighting Pole Terminals		20		
LPT225	Elmex Electric	20	80.00	88.00
LPT235	Elmex Electric	20	190.00	209.00
LPT325	Elmex Electric	20	123.00	135.30
LPT335	Elmex Electric	20	255.00	280.50
Suitable For Neutral Links				
KNL4	Elmex Electric	50	14.50	-
KNL16	Elmex Electric	50	19.00	-
KNL35	Elmex Electric	50	34.00	-
Suitable For PCB Connectors				
PUT2.5	Elmex Electric	100	15.00	16.50
Suitable For Feed Through Terminals (Melamine)				
CST2.5	Elmex Controls	100	16.00	17.60
CST6	Elmex Controls	100	18.50	20.35
CST10	Elmex Controls	100	25.00	27.50
CST16	Elmex Controls	100	40.00	44.00
CST25	Elmex Controls	100	55.00	60.50
CST35	Elmex Controls	50	100.00	110.00
Suitable For Spring Loaded Terminals				
CST2.5WS	Elmex Controls	100	31.00	34.10
CST6WS	Elmex Controls	100	52.00	57.20
CSLT1	Elmex Controls	100	55.00	60.50
Suitable For Stud Type Terminals				
CATM3	Elmex Controls	50	38.00	41.80
CATM4	Elmex Controls	50	45.00	49.50
CATM5	Elmex Controls	50	60.00	66.00
CBTM4	Elmex Controls	50	46.00	50.60
CBTM5	Elmex Controls	50	60.00	66.00
CBTM6	Elmex Controls	50	80.00	88.00
CBTM6S1	Elmex Controls	50	120.00	132.00
CABTM4	Elmex Controls	50	47.00	51.70
Suitable For Plug and Socket				
PSC1/5	Elmex Controls	20	350.00	385.00
Suitable For Test - Disconnect Terminals				
CATDM4	Elmex Controls	50	80.00	88.00
CLTDM4	Elmex Controls	50	75.00	82.50
Suitable Power Terminals				
CBT100	Elmex Controls	10	110.00	121.00
CBT110	Elmex Controls	10	180.00	198.00
CBT170	Elmex Controls	10	295.00	324.50
CBT250	Elmex Controls	10	345.00	379.50

Price List for Terminals: Melamine, Polyamide 6.6



PRICE LIST FOR TERMINALS: MELAMINE

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
Suitable For Power Terminal				
CBT300	Elmex Controls	10	410.00	451.00
CBT110T	Elmex Controls	10	185.00	203.50
CBT170T	Elmex Controls	10	320.00	352.00
CBT250T	Elmex Controls	10	360.00	396.00
CBT300T	Elmex Controls	10	510.00	561.00

Price List for Accessories

MOUNTING CHANNELS

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each) For Hexavalent Plating	Rate in Rs. (Per Each) For Trivalent Plating
Mounting Rails with Zinc Plating					
32mm Rails for Melamine Terminals, K-Series Terminals and C-Series Terminals					
300mm Length	Elmex Controls	CHS3	-	60.00	69.00
500mm Length	Elmex Controls	CHS5	-	100.00	115.00
1000mm Length (1 Meter)	Elmex Controls	CHS10	-	185.00	205.00
1000mm Length (1 Meter)	Elmex Controls	CHSS10	-	210.00	235.00
2000mm Length (2 Meter)	Elmex Controls	CHS20	-	380.00	422.00
35mm Rails (7.5mm Depth) for K-Series Terminals					
300mm Length	Elmex Electric	CHK3	-	35.00	39.00
500mm Length	Elmex Electric	CHK5	-	57.00	68.00
1000mm Length (1 Meter)	Elmex Electric	CHK10	-	110.00	115.00
35mm Rails Perforated Rail (7.5mm Depth) 1000mm Length	Elmex Electric	CHKS10	-	125.00	138.00
35mm Rails (15mm Depth)					
35mm Rails (15mm Depth) for K-Series Terminals 1000mm Length	Elmex Electric	CHKD10	-	200.00	206.00
35mm Rails Perforated Rail (15mm Depth) 1000mm Length	Elmex Electric	CHKDS10	-	220.00	227.00
15mm Rails For Micro Terminals					
500mm Length	Elmex Electric	CHM5	-	50.00	56.00
1000m Length (1 Meter)	Elmex Electric	CHM10	-	95.00	101.00
SIDE CLAMPS					
End Clamps suitable for 32mm Rail	Elmex Controls	SCS (METALLIC)	200	7.50	-
End Clamps suitable for 32mm Rail	Elmex Controls	SCSN (MELAMINE)	200	10.00	-
End Clamps suitable for 15mm Rail	Elmex Electric	SCMN (POLYAMIDE 6.6)	100	8.00	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCKN (POLYAMIDE 6.6)	100	9.50	-
End Clamps suitable for 35mm Rail with Marking Label Holder	Elmex Electric	SCKNMLH (POLYAMIDE 6.6)	100	16.50	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUN (POLYAMIDE 6.6)	100	12.00	-
End Clamps suitable for 32mm and 35mm Rail with Marking Label Holder	Elmex Electric	SCUNMLH (POLYAMIDE 6.6)	100	20.00	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUDD (POLYAMIDE 6.6)	100	26.00	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCEC35 (POLYAMIDE 6.6)	100	13.00	-
End Clamps suitable for 32mm and 35mm Rail (Screwless)	Elmex Electric	SCUSL (POLYAMIDE 6.6)	100	30.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN (POLYAMIDE 6.6)	100	11.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN10 (POLYAMIDE 6.6)	100	13.50	-
Marking Label Holder for DCKN	Elmex Electric	MLH for DCKN	100	9.50	-
Screwless End Clamps suitable for 35mm Rail with Marking Label Holder (Screwless)	Elmex Electric	DCKNMLH (POLYAMIDE 6.6)	100	21.00	-
End Foot Suitable for 15mm Rail for MCT 2.5	Elmex Electric	MCT2.5EF-15	100	11.00	-
End Foot Suitable for 15mm Rail for MCT 2.5	Elmex Electric	MCT2.5EF	100	12.00	-
Centre Foot Suitable for 35mm Rail for MCT 2.5	Elmex Electric	MCT2.5CF	100	12.00	-
Centre Foot Suitable for 35mm Rail for MCT 4	Elmex Electric	MCT4CF	100	13.00	-

Price List for Accessories



MARKING LABELS Snap-On Type Marking Label Strips (1 Strip = 10 Nos.)	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs. (Per Strip of 10 labels) For Blank	Rate in Rs. (Per Strip of 10 labels) *For Printed.
For Terminal Type					
KUTM2.5, DST2.5, SCT2.5, DST2.5-1X2, DST2.5-2X2, DS2.5-2X2, SCT2.5MC, DST2.5-2C1P, DST2.5-2C2P, DSDDM2.5, DSET2.5, DSET2.5-1X2, DSET2.5-2X2	LABEL KN5	Elmex Electric	100	10.00	11.00
KUT2.5, KULT4, ET4, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, KU2D4, KU2D4S, KUDD4, DU3D4, KLTD4, KULTD4, KULTD4WS, DBK2.5, SUT4, DST4, SCT4, DSET4, MCT2.5, DSDD2.5, KUT4-1X2, KUT4-2X2, KPCH4, ETDD4N, KU4T4-2X2, MCT2.5, MCT2.5P4, MCT2.5MC, DS3L 2.5, DST4-1X2, DST4-2X2, CST35, CATDM4, CLTDM4	LABEL KN5.5	EC/EE	100	8.50	9.50
KUT4, KST4UWS, KATM3, KATM4, KATM5, KBTM4, KABTM4, KBTM5-15, KBTM6, KBT100, MCT4, KNL4, OAT2.5, PS8M, FDBK3, FDBK4, FDBK8, FDBK-1X2, FDBK-1X2, FDBK-1X4, KATM3E, KATM4E, KBTM4E, KBTM5E, KATM3C, KABTM3L, KABTM3LC, KABTM5, CST2.5, CST6, CATM3, CBTM5, CUT4, CUT6	LABEL KN6.5	EC/EE	100	9.00	10.00
PUT2.5	LABEL KN7.5	Elmex Electric	100	13.00	18.00
KUT6, KST6WS, KULT6, KUDF4, KUDF4AD, KUDDF4, KUDDF4AD, DS8LP16/32, KUTSD6, KUTD10, KULTD6, ET6, DST6, DCF4, DSET6, KNL16, DSCT6, DSCDT6, KUPTD6, KUPTD6S, KUPDS6, PAT30, PAT100, PAT150, PAT250, KU4T6, SCT6, DST6-1X2, CBTM6, CBTM6S1, CBT100, CABTM4	LABEL KN8	EC/EE	100	10.00	11.00
OAT6, OAT6T, KUFH4, KUFH4A, KUFH4D, OAT6DTS, OAT6DTS-2W	LABEL KN9	Elmex Electric	100	10.00	11.00
KUT10, KULT1, DPBB50/50CN, DPBB70/70CN, DPBB120/120CN, DPBB185N, DPBB240, DFBK12, DBK3, DBK4, DBK5, DBK8, DBK-1X2, DBK-1X4, DBK-1X8, DST10, LPT225, LPT325, DSET10, MCT2.5P4, DMCT2.5P4, KATM4C, KATM5C, KBTM4C, KABTM4C, KABTM5C, DST10-1X2, CST10, CST16, CSLT1, CBT110, CBT170, CBT250, CBT300, CBT110T, CBT170T, BT250T, CBT300T, CUT10	LABEL KN10	EC/EE	100	11.00	12.00
KUT16, KUT25, ET16, ET35, KUF10, KUF10A*, KUF10D, DBK150/16-1X2, DBK150/16-1X4, DBK150/16-1X8, DBK150/25 Series, DST16, LPT235, LPT335, DBD16, DBD35, MCT4P4, DBK150/M6C Series, SPT Series, KBTM5-15C, KBTM6E, SCF6, DST16-1X2, DTB35-10X4, CST25	LABEL KN12	EC/EE	100	10.00 (For 5 label Strip)	12.00 (For 5 label Strip)
KUT35, KUT50, KUT95, ET50, KBTM6C, OAT25, CST70, CST185, DTB35-10 UBDF4, UBDF4A, UBDF4D	LABEL KN17 LABEL U8.25	Elmex Electric Elmex Electric	100 100	11.00 (For 5 label Strip) 18.00	13.00 (For 5 label Strip) 22.00

WARNING LABELS	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs.
Warning Labels with Mounting Screws(Nylon) for Standard Terminals				
KUTM2.5, KUT2.5, CST2.5WS, CUT4	WL2.5	Elmex Electric	10	On Request
KUT4, KST4UWS, KUT4N, CST2.5	WL4	Elmex Electric	10	On Request
KUT6, KST6WS, CST6, CUT6	WL6	Elmex Electric	10	On Request
KUT10, CST10, CUT10	WL10	Elmex Electric	10	On Request
KUT16, KUT25, CST16	WL16	Elmex Electric	10	On Request
PVC Group Marking Carrier				
For 32mm DIN Rail	GMC	Elmex Controls	-	30.00
For 32mm DIN Rail - 10mm Thick	GMH10	Elmex Electric	50	17.00
For 32mm DIN Rail - 20mm Thick	GMH20	Elmex Electric	50	25.00
Barrier Plate Universal Rail Mounted to Support PCK3	UHDD	EC/EE	50	32.00

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM2.5, KUT2.5	Elmex Electric	KPNS	100	5.70	6.30
KUT4, KST4UWS, KUT6, KUT10	Elmex Electric	KPX	100	6.70	7.40
KUT4-1X2	Elmex Electric	KPM4	100	12.00	13.20
KUT4-2X2, KUDD4-2X2	Elmex Electric	KPMD4	100	16.50	18.20
KST6WS	Elmex Electric	KSP6WS	100	13.30	-
KUT16	Elmex Electric	KPY	100	8.60	9.50
KUT25	Elmex Electric	KPT	100	8.60	9.50
KU2D4, KU2D4S	Elmex Electric	EPDD4	100	11.50	12.70
KUDD4, KUDD4CC1, KUDD4CC2, KUDD4CA1, KUDD4CA2, KUDD4D1, KUDD4R, KUDD4MOV	Elmex Electric	KPDD	100	11.50	12.70
DUD4	Elmex Electric	DP3D	100	16.00	17.60
DUSD4	Elmex Electric	DPSD	100	12.00	13.20
KULT4, KULT6, KULT1	Elmex Electric	KPSL	100	12.00	13.20
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE	Elmex Electric	KPXN	100	7.90	8.70
KUDD4N, ETDD4N	Elmex Electric	KPDDN	100	18.00	19.80
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4, KABTM3L, KABTM5, KATM3E, KATM4E, KBTM4E	Elmex Electric	KPS4	100	10.50	11.60
KBTM6E	Elmex Electric	KPS6	100	13.00	-
OAT2.5	Elmex Electric	OEP2.5	100	9.70	10.70
OAT6	Elmex Electric	OEP6	100	10.50	11.60
OAT25	Elmex Electric	OEP25	100	14.00	15.40
OAT6T	Elmex Electric	OEP6T	100	15.00	16.50
OAT6DTS, OAT6DTS-2W	Elmex Electric	OEP6DTS	100	15.50	17.10
OAT10DTS	Elmex Electric	OEP10DTS	100	17.50	19.30
KUF10, KUF10D, KUF10A	Elmex Electric	EPF	100	18.00	19.80
KUFH4, KUFH4D, KUFH4A	Elmex Electric	EPFH	100	13.00	14.30
KLDM4NV	Elmex Electric	KPLD4	100	14.50	16.00
KUTSD6NV	Elmex Electric	KPSD	100	13.00	14.30
KUTD10NV	Elmex Electric	KPTD	100	14.50	16.00
KULTD6	Elmex Electric	KPSLD	100	14.00	15.40
KULTD4, KULTD4WS, KPCH4, KUDD6	Elmex Electric	KPSD4	100	11.00	12.10
KBT100	Elmex Electric	KPS100	100	13.50	14.90
DS3L2.5	Elmex Electric	DSEP3	100	30.00	33.00
DS8LP16, DS8LP32	Elmex Electric	DSEP8	100	On Request	On Request
SUT1.5	Elmex Electric	ES2	100	12.00	13.20
SUT4	Elmex Electric	ES4	100	6.50	7.20
CET4	Elmex Electric	EPM	100	13.00	14.30
MBT4	Elmex Electric	MP1	100	13.00	14.30
PET4	Elmex Electric	EPP	100	8.00	8.80
DST2.5	Elmex Electric	DSEP2.5	100	6.00	6.60
DST4, DSET4	Elmex Electric	DSEP4	100	7.50	8.30
DST6, DSET6	Elmex Electric	DSEP6	100	8.90	9.80
DST10, DSET10	Elmex Electric	DSEP10	100	9.50	10.50
DST16	Elmex Electric	DSEP16	100	15.00	16.50
SCT2.5, SCT2.5MC	Elmex Electric	SEP2.5	100	5.30	5.80
SCT4	Elmex Electric	SEP4	100	5.80	6.40
SCT6	Elmex Electric	SEP6	100	8.00	8.80
SCT10	Elmex Electric	SEP10	100	9.00	9.90
DST2.5-1X2	Elmex Electric	DSMP2.5-1X2	100	7.50	8.30
DST2.5-2X2	Elmex Electric	DSMP2.5-2X2	100	8.00	8.80
DST4-1X2	Elmex Electric	DSMP4-1X2	100	9.30	10.20
DST4-2X2	Elmex Electric	DSMP4-2X2	100	11.50	12.70
DST6-1X2	Elmex Electric	DSMP6-1X2	100	11.50	12.70
DST10-1X2	Elmex Electric	DSMP10-1X2	100	11.80	13.00
DST16-1X2	Elmex Electric	DSMP16-1X2	100	13.00	14.30
DST2.5-2C1P	Elmex Electric	DSMP2.5-2C1P	100	12.50	13.80
DST2.5-2C2P	Elmex Electric	DSMP2.5-2C2P	100	15.00	16.50
DSDT2.5	Elmex Electric	DPDT2.5	100	9.00	9.90
DSDT2.5-2X2	Elmex Electric	DPMDT2.5	100	11.50	12.70
DSDD2.5	Elmex Electric	DPDD2.5	100	11.00	12.10
DCF4, DCF4D, DCF4A	Elmex Electric	DFEP	100	12.50	13.80
SCF6	Elmex Electric	SFEP6	100	10.50	11.60
MCT1.5	Elmex Electric	MEP1.5	100	3.80	4.20
MCT2.5, MCT2.5P4	Elmex Electric	MEP2.5	100	4.10	4.50
MCT2.5MC	Elmex Electric	MEP2.5MC	100	6.30	6.90
MCT4, MCT4P4	Elmex Electric	MEP4	100	7.50	8.30
DMCT2.5P4	Elmex Electric	DMEP2.5P4	100	10.00	-

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
PAT30	Elmex Electric	EPA30	100	12.50	13.80
PAT100, PAT150, PAT250	Elmex Electric	EPA100	100	18.00	19.80
PBTM3, PBTM4	Elmex Electric	EPBM4	100	7.00	-
CST2.5, CST6, CST10, CST2.5WS, CST6WS, CUT4, CUT6, CUT10	EC/EE	EPX	100	7.50	8.30
CST16	Elmex Controls	EPY	100	14.50	16.00
CST25	Elmex Controls	EPT	100	15.00	16.50
CST35	Elmex Controls	EPZ	100	16.00	17.60
CATM3, CATM4, CATM5, CBTM4, CBT M5, CBT M6, CABTM4	Elmex Controls	EPS4NV	100	10.00	11.00
CBTM6S1, CBT100	Elmex Controls	EPS5/6	100	14.50	16.00
CATDM4	Elmex Controls	EPD4	100	16.00	17.60
CLTDM4	Elmex Controls	EPLD4	100	16.00	17.60
CSTD6	Elmex Controls	EPTD	100	-	-
CSLT1	Elmex Controls	EPSL	100	13.00	14.30

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM2.5, KUT2.5, DBK2.5, DBM4-10WAY	Elmex Electric	KBM	100	12.50	13.80
KUT4, KST4UWS, KUT6, KUT10, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK8, FDBK1X4, FDBK1X8, DFBK12	Elmex Electric	KBX	100	15.50	17.10
KST6WS, KUT16, DBK150/16-1X2, DBK150/16-1X4	Elmex Electric	KBY	100	19.00	20.90
KUT25, DBK150/25-1X2, DBK150/25-1X4	Elmex Electric	KBT	100	20.00	22.00
CET4, SUT4	Elmex Electric	MBX	100	15.00	16.50
SCT2.5, SCT4	Elmex Electric	DBF1	100	31.00	34.10
DST2.5, DST4, DSET4	Elmex Electric	DBF2	100	33.00	36.30
DST2.5-1X2, DST4-1X2, DSDT2.5, DCT2.5-1X2, DCT2.5-2X2, DET2.5-1X2, DET2.5-2X2, SCT6, SCT10	Elmex Electric	DBF3	100	46.00	50.60
DST6, DST10, DST16, DSET6, DSET10, DST2.5-2X2, DST4-2X2	Elmex Electric	DBF4	100	58.00	63.80
DST6-1X2, DSDT2.5-2X2	Elmex Electric	DBF5	100	75.00	82.50

PARTITION PLATES WITH FOOT

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM2.5, KUT2.5, KUT4, KST4UWS, KUT6, KUT10, ET4, ET6, ET10, KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBT0M6, KATM3C, KATM4C, KATM5C-15, KBTM6C, KATM3E, KATM4E, KBTM4E, KBTM5E, OAT2.5, OAT6, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK3, FDBK8, FDBK1X4, FDBK1X8, DFBK12, DBK2.5, DBD16, DBD35, DBM4-10W, KABTM4, CST2.5, CST2.5WS, CST6, CST10, CST6WS, CUT4, CUT6, CUT10	Elmex Electric	KBXF-Grey	100	19.00	20.90
KUT16, KUT25, KUT35, ET16, ET35, KULT4, KULT6, KULT1, KUDF4, KUDF4D, KUDF4A, KUDDF4, KUDDF4D, KUDDF4A, KUF10, KUF10D, KUF10A, KUFH4, KUFH4D, KUFH4A, KULTD4, KULTD4WS, KBT100, OAT6T, DBK150/16-1X2, DBK150/16-1X4, DBK150/25-1X2, DBK150/25-1X4, DBK150/M6C-1X2, DBK150/M6C-1X4, KPCH4, KUDT6, KUPDS6, CST16, CST25, CSLT1	Elmex Electric	KBZF-Grey	100	24.00	26.40
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, ETN4, ETN6, ETN10, KUT4-1X2	Elmex Electric	KNBF2.5/10	100	24.00	26.40
DPBB50/50CN, DPBB70/70CN	Elmex Electric	BPN70	20	35.00	38.50
DPBB120/120CN	Elmex Electric	BPN120	20	40.00	44.00
DPBB185N, DPBB240	Elmex Electric	BPA185/240	20	55.00	60.50

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
CST2.5, CST6, CST10, CST2.5WS	Elmex Controls	BPX	100	18.00	19.80
CST16	Elmex Controls	BPY	100	28.00	30.80
CST35	Elmex Controls	BPZ	100	40.00	44.00
CBT110, CBT110T	Elmex Controls	BPA110	20	38.00	41.80
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA17/25	20	42.00	46.20
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA25/30	20	55.00	60.50

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Removable Shorting Links - 2 Ways					
KUT4, KST4UWS, CST2.5, CST2.5WS, CUT4	EC/EE	RSL2.5	50	5.00	
KUT6, KST6WS, CST6, CST6WS	EC/EE	RSL6	50	5.00	
KUT10, CST10	EC/EE	RSL10	50	6.00	
KUT16, CST16	EC/EE	RSL16	50	8.00	
KUT25, CST25	EC/EE	RSL25	50	13.00	
CST35	Elmex Controls	RSL35	50	17.00	
KUT35	Elmex Electric	RSL35K	50	17.00	
KULT1, CSLT1	EC/EE	RSL1L	50	24.00	
Long Stud With Screws for Removable Shorting Links					
KUT4, KUT6, KST4UWS, KST6WS, CST2.5, CST2.5WS, CST6, CST6WS	EC/EE	LSR2.5-6	50	9.00	
KUT10, KUT16, KUT25, CST10, CST16	EC/EE	LSR10-16	50	10.00	
CST25	Elmex Controls	LSR25	50	15.00	
CST35	Elmex Controls	LSR35	50	21.50	
KUT35	Elmex Electric	LSR35K	50	20.00	
KULT1, CSLT1	EC/EE	LSR1L	50	27.00	
KUT2.5N	Elmex Electric	LSR2.5N	50	6.50	
KUT4N, KUT4-1X2, KUT4-2X2, KUT6N	Elmex Electric	LSR6N	50	7.00	

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Cross Connection Link Assembly for Permanent Shorting 2 way with Captive Screws, Sleeves and Washer					
KUTM2.5	Elmex Electric	CCLK2.5	50	14.00	
KUT2.5	Elmex Electric	CCLM2.5K	50	14.00	
SUT1.5	Elmex Electric	CCLA1.5	50	25.00	
KUT4, KST4UWS, CST2.5, CST2.5WS	EC/EE	CCLA2.5	50	16.50	
KUT6, KUT6N, KST6WS, CST6, CST6WS	EC/EE	CCLA6/6N	50	16.50	
KUT10, CST10, CUT10, KUT10N	EC/EE	CCLA10/10N	50	18.00	
KUT16, CST16	EC/EE	CCLA16	50	21.00	
KUT25, CST25	EC/EE	CCLA25	50	23.50	
CST35	Elmex Controls	CCLA35	50	28.00	
KUT35	Elmex Electric	CCLA35K	50	28.00	
KUT50	Elmex Electric	CCLA50	50	150.00	
KU2D4, KUDD4, SUT4, CUDD4	EC/EE	CCLADD	50	14.50	
DU3D4, DUSD4	Elmex Electric	CCLATD	50	14.50	
KULT4	Elmex Electric	CCLAK4	50	15.00	
KULT6	Elmex Electric	CCLAK6	50	17.50	
CSLT1	Elmex Controls	CCLA1L	50	24.00	
KULT1	Elmex Electric	CCLA1LK	50	23.00	
KUT2.5N	Elmex Electric	CCLK2.5/CCLM2.5N	50	14.00	
KUT4N, KUT4-1X2, KUT4-2X2	Elmex Electric	CCLA4N	50	15.00	
KUDD4N	Elmex Electric	CCLADDN	50	18.00	

INTER CONNECTING ACCESSORIES

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation - 2 Ways for					
KUTM2.5, KUT2.5N	Elmex Electric	SLC2.5N	50	17.00	
KUT2.5, DU3D4, DUSD4, KULT4, KUDD4N, KULTD4, KULTD4WS, KPCH4, KUDT4-2X2, KU2D4, KU2D4S, KUDD4	EC/EE	SLC4N	50	18.00	
KUT4, KST4UWS, CST2.5, CST2.5WS	EC/EE	SLC2.5	50	17.00	
CET4	Elmex Electric	SLE	50	20.00	
KUT6, KST6WS, KULT6, KUT6N, KUTSD6, KUTD10, KUPDS6, CST6, CST6WS, CSTD6	EC/EE	SLC6	50	24.00	
KUT10, CST10	EC/EE	SLC10N	50	27.00	
KATM3, KATM3E, KABTM3L	Elmex Electric	KSL3	50	24.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4, KABTM5	Elmex Electric	KSL4	50	25.00	
KBTM5-15, KBTM5E, CBTM4, CBTM5	EC/EE	KSL5	50	26.00	
KBTM6, CBTM6	EC/EE	KSL6/BSL6	50	28.00	
OAT25	Elmex Electric	KSL7	50	32.00	
OAT2.5	Elmex Electric	OSL2.5	50	23.00	
OAT6, OAT6T, OAT6DTS, OAT6DTS-2W	Elmex Electric	OSL6/OSL6R	50	25.00/30.00	
OAT6DTS-2WSL	Elmex Electric	OSLD6	50	40.00	
OAT10DTS	Elmex Electric	OSLD10	50	60.00	
KUDF4, KUDF4AD, KUDDF4, KUDDF4AD	Elmex Electric	UFSL	50	24.00	
UBDF4, UBDF4D, UBDF4A	Elmex Electric	CLUF	50	26.00	
KLTD4MNV	Elmex Electric	KDSL4	50	26.00	

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation - 2 Ways for					
KULTD6	Elmex Electric	KSLD6	50	23.00	
KUTD6	Elmex Electric	SLC6SL	50	22.00	
DTB35-10	Elmex Electric	SLC17.5	50	55.00	
KULTD6, KUPTD6, KUPTD6S	Elmex Electric	SLD6	50	26.00	
CATM3	Elmex Controls	ASL1	50	27.00	
CATM4, CATM5, CATDM4, CLTDM4, CABTM4	Elmex Controls	ADSL/ADSLR	50	25.00/30.00	
Insulated Push-In Type Shorting Link - 2 Ways for					
DST2.5, DCT2.5-1X2, DST2.5-1X2, DST2.5-2X2, SCT2.5, SCT2.5MC	Elmex Electric	SSL2.5	100	10.00	
DST4, SCT4, DCF4, DCF4D, DCF4A, DSDD2.5, DCDT4, DS3L2.5	Elmex Electric	SSL4	100	17.50	
DST6, SCT6, DSCT6	Elmex Electric	SSL6	100	25.00	
DST10, SCT10, DST10-1X2	Elmex Electric	SSL10	100	38.00	
DST16	Elmex Electric	SSL16	100	60.00	
DST35	Elmex Electric	SSL35	100	78.00	
MCT1.5	Elmex Electric	MSL1.5	100	14.00	
MCT2.5, MCT2.5P4, MCT2.5MC	Elmex Electric	MSL2.5	100	14.50	
MCT4, MCT4P4	Elmex Electric	MSL4	100	19.00	
Link to use KUDF4 and KUDDF4 as Disconnecting Terminal	Elmex Electric	DL4	100	40.00	

Available upto 10 ways (No. of ways Required = Rate for 2 ways / 2 x No. of ways Required)

PROTECTION COVER

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
CST2.5, CST6, CST10, KUT4, KUT6, KUT10	Elmex Controls	PCST (300mm)	-	115.00	
CATM3, CATM4, CBTM4, CBTM5, CBTM6, CABTM4	Elmex Controls	PCC3 (300mm)	-	125.00	
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4	Elmex Electric	PCC3K (300mm)	-	125.00	
CBT110, CBT110T (Covers One Terminal Block)	Elmex Controls	PCP110	-	50.00	
CBT110, CBT110T (Covers Two Terminal Block)	Elmex Controls	PCP110L	-	55.00	
DPBB50/50CN, DPBB70/70CN, DPBB120/120CN (Covers One Terminal Block)	Elmex Electric	PCP120	-	45.00	
CBT170, CBT170T (Covers One Terminal Block)	Elmex Controls	PCP170	-	58.00	
CBT170, CBT170T (Covers Two Terminal Block)	Elmex Controls	PCP170L	-	60.00	
CBT250, CBT250T, CBT300, CBT300T (Covers One Terminal Block)	Elmex Controls	PCP250	-	63.00	
CBT250, CBT250T, CBT300, CBT300T (Covers Two Terminal Block)	Elmex Controls	PCP250/30L	-	75.00	
KUTM2.5, KUT2.5, KUT4, KST4UWS, KUT6, KST6WS, KUT10, KUT10, KUT16, KUT25, KUT35, ET4, ET6, ET10, ET16, ET35, KU2D4, KULT4, KULT6, KULT1, KUT2.5N, KUT4N, KUT6N, KUT10N, OAT2.5, OAT6, OAT6DTS, OAT6DTS-2W, KULTD4, KULTD4WS, KUDD4CC1, KUDD4CC2, KUDD4D1, KUDD4R, KUDD4CA1, KUDD4CA2, KUDT4-2X2, KUDD4MOV, CSTM2.5, CST2.5, CST6, CST10, CST16, CST25, CST2.5WS, CST6WS, CSLT1, ETN4, ETN6, ETN10, KUT4-1X2, KPCH4, KUPDS6	EC/EE	PCK3	-	150.00	
CATDM4, CLTDM4, KLDM4	EC/EE	PCD3(300mm)	-	170.00	
CATM3 (Covers Two Terminal Block)	Elmex Controls	PCCM20	-	20.00	
CATM3 (Covers Three Terminal Block), CBTM4, CBTM5 (Covers One Terminal Block)	Elmex Controls	PCCM30	-	20.50	
CATM4, CATM5, CABTM4 (Covers Two Terminal Block)	Elmex Controls	PCCM26	-	17.50	
CATM4, CATM5 (Covers Three Terminal Block)	Elmex Controls	PCCM39	-	23.00	
CBTM4, CBTM5, CBTM5-15 (Covers Three Terminal Block)	Elmex Controls	PCCM45K	-	23.00	
CBTM6 (Covers Three Terminal Block)	Elmex Controls	PCCM60	-	25.00	
CATDM4, CLTDM4 (Covers Two Terminal Block)	Elmex Controls	PCDM26	-	21.00	
CATDM4, CLTDM4 (Covers Three Terminal Block)	Elmex Controls	PCDM39	-	30.00	
KATM3, KATM3E (Covers Two Terminal Block)	Elmex Electric	PCCM17K	-	17.00	
KBTM6 (Covers Three Terminal Block)	Elmex Electric	PCCM51K	-	26.00	
KBT100, CBT100 (Covers Two Terminal Block)	EC/EE	PCCM52K	-	24.00	
KBT100, CBT100 (Covers Three Terminal Block)	EC/EE	PCCM78K	-	38.00	
CBTM6 (Covers Two Terminal Block)	Elmex Controls	PCCM40	-	23.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4 (Covers Two Terminal Block)	Elmex Electric	PCCM26K	-	17.50	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KBTM5E KABTM4 (Covers Three Terminal Block)	Elmex Electric	PCCM39K	-	23.00	

Note

- The Standard colour of Polyamide 66 Terminals and Accessories will be Grey. The non-standard colour will be Red, Yellow, Blue, Black. Any colour other than these shall be quoted against specific request.
- The Purchase Order for non-standard colour items other than Terminals KUT2.5 to KUT35 and all Stud Type Terminals will be subject to Minimum Order Quantity. Please Contact us for MOQ.
- Standard colour for Melamine Terminals and accessories is Khakhi. The non-standard colour will be Red, Yellow, Blue, Black Only.
- Standard colour of PUT2.5 is Grey. All other colour (Red, Yellow, Blue, Black etc.) shall be quoted against specific request.
- Please contact us for the prices of channels for lengths other than mentioned in the price list.

Terms & Conditions

1. Price : Ex-works Vadodara/ Por/ Itola.
2. Packing & Forwarding : Inclusive of standard packing.
3. GST : Extra as applicable.
4. Freight : To be borne by customer.
5. Payment : 100% advance or as agreed.
6. Dispatch : By Road/Rail/Courier or on request by Air.
7. Insurance : If desired by customer, at his cost.
8. Arbitration : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules.
9. Place of jurisdiction : The competent place of jurisdiction will be Vadodara, Gujarat, India.
10. Shortages/Damage/Loss in Transit : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company.

Special Clauses

1. Deduction : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent.
2. Price Variation : We reserve the rights to revise our Price list as and when required without any prior notice.



Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net